

201 Daktronics Drive PO Box 5128 Brookings, South Dakota 57006-5128 T 800-325-8766 605-692-0200 F 605-697-4700

Thank you for choosing Daktronics; we look forward to working with you on this project!

THE FOLLOWING ITEMS ARE NEEDED TO PROCESS YOUR ORDER

- > Please verify that this equipment fulfills the needs of your project
- > Signed Order Agreement with Purchase Order number

Online payment options using ACH or credit card* at daktronics.com/payonline. *3% surcharge fee is added on credit card transactions

Payment by check:

SENDING VIA USPS

Daktronics, Inc. PO Box 737640 Dallas, TX 75373-7640

SENDING VIA UPS/FEDEX

Daktronics, Inc. JPMorgan Chase (TX10029) Attn: Daktronics, Inc. & 737640 14800 Frye Road, 2nd Floor Ft Worth, TX 76155

- > Validate and complete Project Site Information page, return with order Help ensure Daktronics shipping, invoicing, and service locations are accurate.
- > Tax Status Applicable taxes included, subject to change.
- > **Logos, Graphics, or Sponsor Advertisements** <u>vector files</u> must be submitted with your order documents. Once artwork is received, you will be sent a final layout requesting your approval before production. If artwork is not received, the panels/truss will be painted the same as scoreboard/display and shipped blank.
- > <u>Freight Unloading Guidelines</u> Customer is responsible for receiving & unloading truck upon delivery. See Freight Description on Order Agreement for more details.

SUBMIT YOUR ORDER TO YOUR SALES TEAM

<u>Ashlin.Wiebe@daktronics.com</u> <u>Leie.Sualua@daktronics.com</u>

DAKTRONICS ORDER AGREEMENT #839818-1-2

City of Carson Accounts Payable PO Box 6234

CARSON, CA USA 90745 Phone: (310)830-7600

Fax:

Email: acctpayable@carsonca.gov

8/Apr/2024

Valid for: 120 days

Terms: Net 30 days from shipment with

Purchase Order

Subject to Credit Review

FCA: DESTINATION

Delivery: Call for Production Time

Reference: City of Carson - Veterans Sports Complex and Foisia Park - Basketball - Omnia Partners Contract #R220601

Item No.	Model	Description		Qty	Price
1	Comments	Veterans Sports Complex		1	
2	BB-2155-RA-PV	with Electronic Capt	ew® II/Wrestling Scoreboard cions; Scoreboard Color: n Color: Sunflower (7725- 6' 0" H X 10' 0" W X 0' 6" D (Approx. Dimensions) PANAVIEW 200 watts/display Unpackaged 260 lbs per display; Packaged 290 lbs per display	2	\$18,040.00
	AS-5010 Kit	All Sport® 5010 Control Console Kit		2	
	Indoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz		2	
	Radio Receiver	Frequency of 2.4 GHz		2	
	Stripe; Indoor	Indoor Scoreboard Border Stripe; Color: Perfect Match Red (7725-263)		2	
	PanaView Double Bonus Option	For use on indoor bas	sketball scoreboards	2	
	Sheetmetal Cabinet Scoreboard Crating	Wood Crate for Shee	tmetal Cabinet Scoreboards	2	
	System Startup	Final Commissioning of Equipment		1	
3	Indoor Non-Backlit 2' 0" x 10' 0" Horizontal	Ad Panel, Above or Below Display Cabinet Dimensions: 2' 0" H X 10' 0" W X 0' 6" D		2	\$1,710.00
		Weight:	Packaged 80 lbs per display		
4	BB-2114-R-PV	Tuff Sport® PanaView® Shot Timer; 2 Displays; Scoreboard Color: Semi-Gloss Black; Daktronics does not supply mounting brackets - contact backstop manufacturer.		1	\$3,461.00



DAKTRONICS ORDER AGREEMENT # 839818-1-2

1' 7" H X 1' 10" W X 0' 6" D Cabinet Dimensions:

(Approx. Dimensions)

PANAVIEW Digit Type: Digit Color: **RED**

40 watts/display Max Power: Weight: Unpackaged 15 lbs per

display; Packaged 32 lbs per

display

Radio Receiver Frequency of 2.4 GHz 2

Comments Foisia Park

BB-2155-RA-PV Tuff Sport® PanaView® \$16,682.00

> Basketball/Volleyball/Wrestling Scoreboard with Electronic Captions; Scoreboard Color: Blue (57406); Caption Color: Cardinal Red

(7725-53)

Cabinet Dimensions: 6' 0" H X 10' 0" W X 0' 6" D

(Approx. Dimensions)

Digit Type: PANAVIEW Max Power: 200 watts/display Weight: Unpackaged 260 lbs per display; Packaged 290 lbs per

display

AS-5010 Kit All Sport® 5010 Control Console Kit

Indoor Scoreboard Radio Frequency of 2.4 GHz Communication (Transmitter)

Radio Receiver Frequency of 2.4 GHz 2

Stripe; Indoor Indoor Scoreboard Border Stripe; Color: White

(7725-10)

PanaView Double Bonus

Option

7

5

Sheetmetal Cabinet Wood Crate for Sheetmetal Cabinet Scoreboards 2 **Scoreboard Crating**

System Startup Final Commissioning of Equipment

Indoor Non-Backlit 2' 0" x Ad Panel, Above or Below Display 10' 0" Horizontal

2' 0" H X 10' 0" W X 0' 6" D Cabinet Dimensions:

For use on indoor basketball scoreboards

Weight: Packaged 80 lbs per display

BB-2114-R-PV Tuff Sport® PanaView® Shot Timer; 2

Displays; Scoreboard Color: Semi-Gloss Black; Daktronics does not supply mounting brackets - contact backstop manufacturer.

Cabinet Dimensions: 1' 7" H X 1' 10" W X 0' 6" D

(Approx. Dimensions) PANAVIEW

Digit Type: Digit Color: RED

Max Power: 40 watts/display

Unpackaged 15 lbs per Weight:

display; Packaged 32 lbs per

display

Radio Receiver Frequency of 2.4 GHz 2

9 **Taxes** At 10.25% - Subject to change 1 \$4,619.06



\$1,710.00

\$3,461.00

www.daktronics.com

2

2

DAKTRONICS ORDER AGREEMENT #839818-1-2

10 FREIGHT Shipping to site via LTL (enclosed trailer).

Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.

\$1,875.00

1

Services

11 G5C5-W Five Year Warranty - Parts Coverage - G5G5 1

Total Price Including Applicable Tax:

\$51,558.06

Please reference listed sales literature: DD1628383 for G5C5-W, DD2457495 for BB-2155-RA-PV, DD2481873 for BB-2114-R-PV, SL-03991 for AS-5010 Kit, SL-04370 for Indoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver

Please reference listed shop drawings: DWG-112485 for Indoor Non-Backlit 2' 0" x 10' 0" Horizontal



DAKTRONICS ORDER AGREEMENT # 839818-1-2

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

**Payments based on 5 year/annual payment in advance structure. Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.

Exclusions:

- Electrical Installation
- Structure
- Power
- Engineering Certification
- Labor to Pull Signal Cable
- Electrical Switch Gear or Distribution Equipment
- Physical/Mechanical Installation
- Foundation
- Hoist
- Signal Conduit
- Applicable Permits
- Front End Equipment

Unless expressly stated otherwise in this Order Agreement # 839818-1 Rev 2 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to Daktronics' graphic file standards, at the time of order. Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.



Leie Sualua PHONE: FAX:

EMAIL: Leie.Sualua@daktronics.com

Ashlin Wiebe

PHONE: 605-692-0200

FAX:

EMAIL: Ashlin.Wiebe@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

SL-02374 Standard Warranty and Limitation of Seller's Liability

SL-02375 Standard Terms and Conditions of Sale

SL-07862 Software License Agreement

Additional Links:

Gold Scope of Services

(www.daktronics.com/terms_conditions/SL-02374.pdf) (www.daktronics.com/terms_conditions/SL-02375.pdf)

(www.daktronics.com/terms_conditions/SL-07862.pdf)

(www.daktronics.com/TermsConditions/SL-05659)

Acceptance:

The parties acknowledge and agree that the agreement (the "Agreement") is comprised of the terms and conditions contained within this order agreement and any attachments thereto, along with the documents at the website addresses above. Purchaser hereby agrees to purchase the equipment as defined in the Agreement. Purchaser acknowledges having had the opportunity and means to review the Agreement. The Agreement represents the entire agreement of the parties and supersede any previous understanding or agreement. The Undersigned has actual authority to execute this document and Daktronics is relying on such authority. Purchaser acknowledges and agrees to the above, as evidenced by its attestation below.

Customer Signature	Date
Print Name	Title

PROJECT SITE INFORMATION - REQUIRED TO PLACE YOUR ORDER

Daktronics Quote # _____

This document is for order processing purposes only and is not intended to be part of the Agreement

Purchase Order Information:					
PO#	PO Date				
	o be delivered to (Ship To) and may be installed by Purchases or (Installation Location) indicated below unless otherwise specified.				
SHIP TO: (delivery location)	INSTALLATION LOCATION: (end user) ID#				
Company:	Company:				
Contact:	Contact:				
Street Address:	Street Address:				
City:	_ City:				
State: Zip:	State: Zip:				
Telephone:	Telephone:				
Email: (for shipping notification)	Email: (for order acknowledgement)				
Additional Email: (for shipping notification)	Training Contact & Email: (if applicable)				
BILL TO: (receive and pay invoices) Company: Contact: Street Address: City: State: Telephone: Email:	Company: Foisia Park Street Address: 23410 Catskill Ave City: Carson State: CA Zip: 90745				
LOGO & AD COPY APPROVAL (if applicable) Name: Email:	-				

Logos, Graphics, or Sponsor Advertisements

<u>Vector files</u> must be submitted with your order documents, not to exceed 1 week of order placement. If artwork is no received, the panels will be painted the same as your scoreboard or display and shipped blank.



CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required.
- 2) Secure necessary construction permits, as required.
- 3) Removal and disposal of existing equipment, as applicable.
- 4) Removal and disposal of existing structure, as applicable.
- 5) Customer is responsible to ensure the existing structure/building is adequate, including any necessary modifications, for the installation of the Equipment, including but not limited to (i) obtaining certified engineer drawings to the extent required by law and (ii) providing Daktronics, upon reasonable request, documentation relating to the existing structure and modifications necessary for Daktronics to perform its work
- 6) Mark location of the new Equipment as delineated in the quote.
- 7) Provide all required floor protection.

Structures

1) Not applicable

Electrical & Data

- 1) Provide electrical power to all Daktronics supplied load centers/termination panel at/within the Equipment, as applicable. Electrical power shall be installed per all applicable electrical codes and regulations and shall include; transformer, electrical disconnect, panel board with over current protection, J-boxes, receptacles, power drop cords as applicable per Equipment location and product specifications. Provide all required breakers based on the Equipment electrical loads.
- 2) Provide personnel for maintenance and operator training.

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment and control equipment from carrier.
- 2) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation.
- 3) Lift and mount/install Equipment listed in this quotation according to the product specifications, including placing control equipment in the control room as applicable.

DAKTRONICS RESPONSIBILITIES

General

1) Not applicable

Structures

1) Not applicable

Electrical & Data

- 1) Terminate signal cable at control location and Equipment location for Equipment delineated in Daktronics quote
- 2) Unpack, set-up, hook-up, and testing of control system.
- 3) Perform maintenance training during installation.
- 4) Perform final systems testing and commissioning.

Product/Equipment

1) Not applicable

QUALIFICATIONS/CLARIFICATIONS

- 1) Access: Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (lifts, trucks, etc.) are expected to have access directly to the display structure location and control location.
- 2) Control Room Climate: Normal operating temperature should be between 40° to 90° Fahrenheit (4° to 32° Celsius). Normal operating humidity should be less than 80% non-condensing. Storage temperature should be between -10° to 105° Fahrenheit (-23° to 41° Celsius). Storage humidity should be less than 95% non-condensing. Keep computers and monitors out of direct sunlight during storage. Allow control equipment taken out of storage to return to operating temperature range prior to turning it on (24 hours recommended).
- 3) Electrical: The maximum voltage is 120 volts line to neutral for all Equipment in this quotation.

Attachment A Page 1 of 2

DAKTRONICS ORDER AGREEMENT # 839818-1-2 MAIN ATTACHMENT A

4) Building Penetrations: Customer to provide all required building (wall/roof/floor) penetrations for the installation of Daktronics equipment to include all attachment, electrical and low voltage/signal connections as applicable.

Attachment A Page 2 of 2