

Thank you for giving Daktronics the opportunity to be your equipment provider. It is important to us that we capture your vision for this project. The provided quote outlines your product selection. Please look it over carefully and work with your salesperson to review and answer any questions.

We look forward to partnering with you on this exciting opportunity!

### **Placing Order:**

When you are ready to place your order, contact your salesperson to obtain order documents. Daktronics will need the following information:

- Finalized equipment decision, including colors
- Delivery location/address
- Bill to information – Invoice Remit

If you are incorporating school or sponsorship logos into your project, please view [Daktronics Graphics File Standards](#) and submit with your order documents.

### **Additional Information:**

Our website and blog offer helpful information. Learn more about what our customers are talking about by visiting the following:

- Could your PA system use an upgrade?
  - Check out our [Sports Sound Systems](#).
- Wishing you could check off more items on your list of needs?
  - See how [Daktronics Sports Marketing](#) could add revenue to your budget.
- Curious what other schools have installed?
  - Look through our [Daktronics Sports Photo Gallery](#) for ideas.
- Did you know we have an in-house reliability laboratory?
  - Experience the testing your components undergo in our [Product Reliability Lab](#).
- Interested in financing options for orders over \$25,000?
  - View our [Getting Started Guide](#) to see what Daktronics offers.
- Want to view helpful information related to our products, in addition to stories on how other schools are developing students and generating revenue?
  - Check out our [blog](#).

# DAKTRONICS QUOTE # 806798-3-2

City of Carson  
Modesto Bolanos  
701 E Carson St  
Carson, CA USA 90745  
Phone:  
Fax:  
Email: mbolanos@carsonca.gov

10/May/2023  
Quote valid for: 120 days  
Terms: 30% with the order, 60% Payment  
before shipment, 10% Net 30 days from  
shipment  
Subject to Credit Review  
FCA: DESTINATION  
Delivery: Call for Production Time

## Reference: Baseball Fields - MS-918 - Omnia Partners Contract #R220601

Item No.	Model	Description	Qty	Price
1	Comments	Dominguez Park	1	
2	MS-918-R-PV-F	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>  Cabinet Dimensions: 5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: RED Max Power: 300 watts/display Weight: Unpackaged 220 lbs per display; Packaged 580 lbs per display	1	\$8,828.00
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	1	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	1	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	1	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	1	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	1	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	1	
	I-Beam Mounting Method (A)	For 2 I-Beams	1	
3	Comments	Hemingway Park	1	
4	MS-918-R-PV-F	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>	1	\$8,828.00

# DAKTRONICS QUOTE # 806798-3-2

Cabinet Dimensions: 5' 0" H X 14' 0" W X 0' 8" D  
(Approx. Dimensions)  
Digit Type: PANAVIEW  
Digit Color: RED  
Max Power: 300 watts/display  
Weight: Unpackaged 220 lbs per display; Packaged 580 lbs per display

\*NOTE\* This scoreboard is also available in Amber and White.

1

Stripe; 0A-1091-0183 Perimeter Border Stripe for MS-918 Scoreboards; Color:\_\_\_\_\_

1

AS-1600 Kit All Sport® 1600 Control Console Kit

1

Outdoor Scoreboard Radio Communication (Transmitter) Frequency of 2.4 GHz

1

Radio Receiver Frequency of 2.4 GHz

1

Outdoor Scoreboard Wire Communication Communication Type: Wire (Cable not included)

1

12VDC Trumpet Horn w/Power Supply For Outdoor Scoreboards

1

RC-200 Handheld Controller Kit Charger, Case and Inserts Included

1

RC-200 Scoreboard Receiver Kit RC-200 Receiver (Base Station)

1

Y-HARNESS FOR DUAL RADIOS - W-2914 HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F

1

I-Beam Mounting Method (A) For 2 I-Beams

1

5 **Comments** **Del Amo Park**

1

6 **MS-918-R-PV-F** **PanaView® Multi-Sport Scoreboard; Scoreboard Color: \_\_\_\_\_; Caption Color: \_\_\_\_\_**

2

**\$17,653.00**

Cabinet Dimensions: 5' 0" H X 14' 0" W X 0' 8" D  
(Approx. Dimensions)  
Digit Type: PANAVIEW  
Digit Color: RED  
Max Power: 300 watts/display  
Weight: Unpackaged 220 lbs per display; Packaged 580 lbs per display

\*NOTE\* This scoreboard is also available in Amber and White.

1

Stripe; 0A-1091-0183 Perimeter Border Stripe for MS-918 Scoreboards; Color:\_\_\_\_\_

2

AS-1600 Kit All Sport® 1600 Control Console Kit

2

Outdoor Scoreboard Radio Communication (Transmitter) Frequency of 2.4 GHz

2

## DAKTRONICS QUOTE # 806798-3-2

	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
7	<b>Comments</b>	<b>Foisia Park</b>	1	
8	<b>MS-918-R-PV-F</b>	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>	2	<b>\$17,653.00</b>
	Cabinet Dimensions:	5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions)		
	Digit Type:	PANAVIEW		
	Digit Color:	RED		
	Max Power:	300 watts/display		
	Weight:	Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	2	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	2	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
9	<b>Comments</b>	<b>Veterans Park</b>	1	

# DAKTRONICS QUOTE # 806798-3-2

10	MS-918-R-PV-F	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>	2	\$17,653.00
		Cabinet Dimensions: 5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: RED Max Power: 300 watts/display Weight: Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	2	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	2	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
11	Comments	Carson Park	1	
12	MS-918-R-PV-F	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>	2	\$17,653.00
		Cabinet Dimensions: 5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: RED Max Power: 300 watts/display Weight: Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	2	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	2	

## DAKTRONICS QUOTE # 806798-3-2

	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
13	<b>Comments</b>	<b>Calas Park</b>	1	
14	<b>MS-918-R-PV-F</b>	<b>PanaView® Multi-Sport Scoreboard;</b> <b>Scoreboard Color: _____; Caption Color: _____</b>	1	<b>\$8,828.00</b>
	Cabinet Dimensions:	5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions)		
	Digit Type:	PANAVIEW		
	Digit Color:	RED		
	Max Power:	300 watts/display		
	Weight:	Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	1	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	1	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	1	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	1	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	1	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	1	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	1	

# DAKTRONICS QUOTE # 806798-3-2

	I-Beam Mounting Method (A)	For 2 I-Beams	1	
15	Comments	Dolphin Park	1	
16	MS-918-R-PV-F	PanaView® Multi-Sport Scoreboard; Scoreboard Color: _____; Caption Color: _____	2	\$17,653.00
	Cabinet Dimensions:	5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions)		
	Digit Type:	PANAVIEW		
	Digit Color:	RED		
	Max Power:	300 watts/display		
	Weight:	Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	
	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	2	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	2	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
17	Comments	Stevenson Park	1	
18	MS-918-R-PV-F	PanaView® Multi-Sport Scoreboard; Scoreboard Color: _____; Caption Color: _____	2	\$17,653.00
	Cabinet Dimensions:	5' 0" H X 14' 0" W X 0' 8" D (Approx. Dimensions)		
	Digit Type:	PANAVIEW		
	Digit Color:	RED		
	Max Power:	300 watts/display		
	Weight:	Unpackaged 220 lbs per display; Packaged 580 lbs per display		
	*NOTE* This scoreboard is also available in Amber and White.		1	

## DAKTRONICS QUOTE # 806798-3-2

	Stripe; 0A-1091-0183	Perimeter Border Stripe for MS-918 Scoreboards; Color: _____	2	
	AS-1600 Kit	All Sport® 1600 Control Console Kit	2	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	12VDC Trumpet Horn w/Power Supply	For Outdoor Scoreboards	2	
	RC-200 Handheld Controller Kit	Charger, Case and Inserts Included	2	
	RC-200 Scoreboard Receiver Kit	RC-200 Receiver (Base Station)	2	
	Y-HARNESS FOR DUAL RADIOS - W-2914	HARNESS; DUAL RADIO, 6P MINI M TO 2 6P MINI F	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
19	<b>Taxes</b>	<b>10.25% - Subject to change</b>	<b>1</b>	<b>\$13,571.21</b>
20	<b>FREIGHT</b>	<b>Shipping to Carson, CA 90745 via Independent Carrier (flatbed trailer). Crane or telehandler required for unloading.</b>	<b>1</b>	<b>\$6,485.00</b>
<b>Services</b>				
21	<b>G5C5-W</b>	<b>Five Year Warranty - Parts Coverage - G5G5</b>	<b>1</b>	

<b>Total Price Including Applicable Tax:</b>	<b>\$152,458.21</b>
--	---------------------

Please reference listed sales literature: DD1628383 for G5C5-W, DD2167408 for MS-918-R-PV-F, DD3715714 for RC-200 Handheld Controller Kit, SL-04352 for AS-1600 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver

### Options

*Please contact your sales representative for additional information*

<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>1</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>1</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>1</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>
<b>Angle Clamp Mounting Method (A)</b>	<b>For 2 Tubes (MS-918)</b>	<b>2</b>



## Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

**\*\*Payments based on 5 year/annual payment in advance structure. Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.**

### Exclusions:

- |  |  |
|--|--|
| - Electrical Installation                | - Physical/Mechanical Installation                 |
| - Structure                              | - Foundation                                       |
| - Power                                  | - Hoist  |
| - Technical Support/Installation Support | - Engineering Certification                        |
| - Signal Conduit                         | - Labor to Pull Signal Cable                       |
| - Applicable Permits                     | - Electrical Switch Gear or Distribution Equipment |
| - Front End Equipment                    |  |

Unless expressly stated otherwise in this Quote # 806798-3 Rev 2 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

### Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

### Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

---

Leie Sualua  
PHONE:  
FAX:  
EMAIL: [Leie.Sualua@daktronics.com](mailto:Leie.Sualua@daktronics.com)

---

Ashlin Wiebe  
PHONE: 605-692-0200  
FAX:  
EMAIL: [Ashlin.Wiebe@daktronics.com](mailto:Ashlin.Wiebe@daktronics.com)

### Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

SL-02374 Standard Warranty and Limitation of Seller's Liability ([www.daktronics.com/terms\\_conditions/SL-02374.pdf](http://www.daktronics.com/terms_conditions/SL-02374.pdf))

SL-02375 Standard Terms and Conditions of Sale ([www.daktronics.com/terms\\_conditions/SL-02375.pdf](http://www.daktronics.com/terms_conditions/SL-02375.pdf))

SL-07862 Software License Agreement ([www.daktronics.com/terms\\_conditions/SL-07862.pdf](http://www.daktronics.com/terms_conditions/SL-07862.pdf))

### NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.  
Please request order documents to submit your order.