

RESOLUTION NO. 19-04-006

**A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA
TO APPROVE 2019 ADJUSTED RATES FOR PHASE 4 NON-RESIDENTIAL
CUSTOMERS**

**THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN
CALIFORNIA DOES HEREBY FIND, RESOLVE, AND ORDER AS FOLLOWS:**

WHEREAS, the Clean Power Alliance of Southern California (formerly known as Los Angeles Community Choice Energy Authority) ("Clean Power Alliance" or "CPA") was formed on June 27, 2017; and

WHEREAS, the CPA Board of Directors directed staff to procure power supply to provide three energy products (36% renewable, 50% renewable, and 100% renewable) and maximize non-emitting energy resources for the non-renewable portions of the portfolio; and

WHEREAS, the CPA Board of Directors also sought to set rates that are lower or competitive with those offered by Southern California Edison (SCE) for similar products and provide price stability; and

WHEREAS, SCE is making changes to its rates as well as to the exit fee charged to CPA customers and these changes require adjustments by CPA to remain within approved bill comparison ranges for Phase 4 rate schedules for non-residential customers; and

WHEREAS, qualified agricultural customers on PA-2 rate schedules are eligible to receive a demand credit for wind machine operations; and

WHEREAS, SCE rate changes are effective on April 4, 2019.

**NOW THEREFORE, BE IT RESOLVED, BY THE BOARD OF DIRECTORS OF
THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA:**

1. The proposed Phase 4 rate schedules as presented in Attachment 1 are hereby approved effective on April 4, 2019.
2. The proposed Phase 4 wind machine demand credit for qualified agricultural customers as presented in Attachment 2 is hereby approved effective on April 4, 2019.

APPROVED AND ADOPTED this ____ day of _____ 2019.

Chair

ATTEST:

Secretary

EXHIBIT NO. 2

Exhibit No. 2

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
AL-2	2018 Energy	Summer	Off-Peak	\$	0.03737	\$	0.03828	\$	0.04601
AL-2	2018 Energy	Summer	On-Peak	\$	0.09804	\$	0.10054	\$	0.12180
AL-2	2018 Energy	Winter	Off-Peak	\$	0.03737	\$	0.03828	\$	0.04601
AL-2	2018 Energy	Winter	On-Peak	\$	0.05238	\$	0.05394	\$	0.06721
AL-2-F	2018 Energy	All_Year	Total	\$	0.03737	\$	0.03828	\$	0.04601
LS-3	2018 Energy	All_Year	Total	\$	0.03737	\$	0.03828	\$	0.04601
TC-1	2018 Energy	All_Year	Total	\$	0.04825	\$	0.04961	\$	0.06120
TOU-8-PRI-B	2018 Energy	Summer	Off-Peak	\$	0.02616	\$	0.02709	\$	0.03496
TOU-8-PRI-B	2018 Energy	Summer	Mid-peak	\$	0.02753	\$	0.02849	\$	0.03660
TOU-8-PRI-B	2018 Energy	Summer	On-Peak	\$	0.03116	\$	0.03219	\$	0.04094
TOU-8-PRI-B	2018 Energy	Winter	Off-Peak	\$	0.02022	\$	0.02102	\$	0.02786
TOU-8-PRI-B	2018 Energy	Winter	Mid-peak	\$	0.04607	\$	0.04740	\$	0.05876
TOU-8-PRI-B	2018 Demand	Summer	Mid-peak	\$	4.71	\$	4.81	\$	5.63
TOU-8-PRI-B	2018 Demand	Summer	On-Peak	\$	15.08	\$	15.39	\$	18.03
TOU-8-PRI-D	2018 Energy	Summer	Off-Peak	\$	0.02151	\$	0.02234	\$	0.02940
TOU-8-PRI-D	2018 Energy	Summer	Mid-peak	\$	0.04440	\$	0.04570	\$	0.05677
TOU-8-PRI-D	2018 Energy	Summer	On-Peak	\$	0.05147	\$	0.05292	\$	0.06523
TOU-8-PRI-D	2018 Energy	Winter	Off-Peak	\$	0.02567	\$	0.02658	\$	0.03437
TOU-8-PRI-D	2018 Energy	Winter	Super Off-Peak	\$	0.00970	\$	0.01028	\$	0.01528
TOU-8-PRI-D	2018 Energy	Winter	Mid-peak	\$	0.03419	\$	0.03528	\$	0.04457
TOU-8-PRI-D	2018 Demand	Summer	On-Peak	\$	20.33	\$	20.75	\$	24.31
TOU-8-PRI-D	2018 Demand	Winter	Mid-peak	\$	4.30	\$	4.39	\$	5.14
TOU-8-PRI-E	2018 Energy	Summer	Off-Peak	\$	0.02158	\$	0.02241	\$	0.02949
TOU-8-PRI-E	2018 Energy	Summer	Mid-peak	\$	0.04446	\$	0.04577	\$	0.05685
TOU-8-PRI-E	2018 Energy	Summer	On-Peak	\$	0.26531	\$	0.27116	\$	0.32091
TOU-8-PRI-E	2018 Energy	Winter	Off-Peak	\$	0.02573	\$	0.02665	\$	0.03445
TOU-8-PRI-E	2018 Energy	Winter	Super Off-Peak	\$	0.00976	\$	0.01035	\$	0.01536
TOU-8-PRI-E	2018 Energy	Winter	Mid-peak	\$	0.06660	\$	0.06836	\$	0.08332
TOU-8-PRI-E	2018 Demand	Summer	On-Peak	\$	3.77	\$	3.84	\$	4.50
TOU-8-PRI-E	2018 Demand	Winter	Mid-peak	\$	0.94	\$	0.96	\$	1.13
TOU-8-PRI-R	2018 Energy	Summer	Off-Peak	\$	0.02616	\$	0.02709	\$	0.03496
TOU-8-PRI-R	2018 Energy	Summer	Mid-peak	\$	0.06314	\$	0.06483	\$	0.07918
TOU-8-PRI-R	2018 Energy	Summer	On-Peak	\$	0.19052	\$	0.19483	\$	0.23148
TOU-8-PRI-R	2018 Energy	Winter	Off-Peak	\$	0.02022	\$	0.02102	\$	0.02786
TOU-8-PRI-R	2018 Energy	Winter	Mid-peak	\$	0.04607	\$	0.04740	\$	0.05876
TOU-8-SEC-B	2018 Energy	Summer	Off-Peak	\$	0.02765	\$	0.02863	\$	0.03692
TOU-8-SEC-B	2018 Energy	Summer	Mid-peak	\$	0.02930	\$	0.03031	\$	0.03889
TOU-8-SEC-B	2018 Energy	Summer	On-Peak	\$	0.03290	\$	0.03399	\$	0.04320
TOU-8-SEC-B	2018 Energy	Winter	Off-Peak	\$	0.02078	\$	0.02161	\$	0.02870
TOU-8-SEC-B	2018 Energy	Winter	Mid-peak	\$	0.04551	\$	0.04685	\$	0.05826
TOU-8-SEC-B	2018 Demand	Summer	Mid-peak	\$	4.70	\$	4.80	\$	5.62

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-8-SEC-B	2018	Demand	Summer	On-Peak	\$ 14.58	\$ 14.88	\$ 17.44	\$	17.59
TOU-8-SEC-D	2018	Energy	Summer	Off-Peak	\$ 0.02283	\$ 0.02370	\$ 0.03115	\$	0.03158
TOU-8-SEC-D	2018	Energy	Summer	Mid-peak	\$ 0.04713	\$ 0.04850	\$ 0.06020	\$	0.06089
TOU-8-SEC-D	2018	Energy	Summer	On-Peak	\$ 0.05460	\$ 0.05613	\$ 0.06914	\$	0.06991
TOU-8-SEC-D	2018	Energy	Winter	Off-Peak	\$ 0.02719	\$ 0.02815	\$ 0.03636	\$	0.03684
TOU-8-SEC-D	2018	Energy	Winter	Super Off-Peak	\$ 0.01035	\$ 0.01097	\$ 0.01623	\$	0.01654
TOU-8-SEC-D	2018	Energy	Winter	Mid-peak	\$ 0.03616	\$ 0.03731	\$ 0.04709	\$	0.04766
TOU-8-SEC-D	2018	Demand	Summer	On-Peak	\$ 20.57	\$ 21.00	\$ 24.60	\$	24.81
TOU-8-SEC-D	2018	Demand	Winter	Mid-peak	\$ 4.02	\$ 4.10	\$ 4.81	\$	4.85
TOU-8-SEC-E	2018	Energy	Summer	Off-Peak	\$ 0.02289	\$ 0.02377	\$ 0.03123	\$	0.03167
TOU-8-SEC-E	2018	Energy	Summer	Mid-peak	\$ 0.04720	\$ 0.04857	\$ 0.06028	\$	0.06097
TOU-8-SEC-E	2018	Energy	Summer	On-Peak	\$ 0.27252	\$ 0.27854	\$ 0.32971	\$	0.33272
TOU-8-SEC-E	2018	Energy	Winter	Off-Peak	\$ 0.02725	\$ 0.02822	\$ 0.03644	\$	0.03692
TOU-8-SEC-E	2018	Energy	Winter	Super Off-Peak	\$ 0.01042	\$ 0.01104	\$ 0.01631	\$	0.01662
TOU-8-SEC-E	2018	Energy	Winter	Mid-peak	\$ 0.07018	\$ 0.07203	\$ 0.08776	\$	0.08869
TOU-8-SEC-E	2018	Demand	Summer	On-Peak	\$ 4.50	\$ 4.59	\$ 5.37	\$	5.42
TOU-8-SEC-E	2018	Demand	Winter	Mid-peak	\$ 0.84	\$ 0.86	\$ 1.01	\$	1.02
TOU-8-SEC-R	2018	Energy	Summer	Off-Peak	\$ 0.02765	\$ 0.02863	\$ 0.03692	\$	0.03740
TOU-8-SEC-R	2018	Energy	Summer	Mid-peak	\$ 0.06707	\$ 0.06886	\$ 0.08405	\$	0.08494
TOU-8-SEC-R	2018	Energy	Summer	On-Peak	\$ 0.19079	\$ 0.19513	\$ 0.23198	\$	0.23415
TOU-8-SEC-R	2018	Energy	Winter	Off-Peak	\$ 0.02078	\$ 0.02161	\$ 0.02870	\$	0.02911
TOU-8-SEC-R	2018	Energy	Winter	Mid-peak	\$ 0.04551	\$ 0.04685	\$ 0.05826	\$	0.05894
TOU-8-SUB-B	2018	Energy	Summer	Off-Peak	\$ 0.02515	\$ 0.02603	\$ 0.03351	\$	0.03395
TOU-8-SUB-B	2018	Energy	Summer	Mid-peak	\$ 0.02630	\$ 0.02720	\$ 0.03488	\$	0.03533
TOU-8-SUB-B	2018	Energy	Summer	On-Peak	\$ 0.02990	\$ 0.03088	\$ 0.03918	\$	0.03967
TOU-8-SUB-B	2018	Energy	Winter	Off-Peak	\$ 0.02032	\$ 0.02110	\$ 0.02773	\$	0.02812
TOU-8-SUB-B	2018	Energy	Winter	Mid-peak	\$ 0.04670	\$ 0.04803	\$ 0.05928	\$	0.05994
TOU-8-SUB-B	2018	Demand	Summer	Mid-peak	\$ 4.75	\$ 4.85	\$ 5.68	\$	5.73
TOU-8-SUB-B	2018	Demand	Summer	On-Peak	\$ 14.76	\$ 15.06	\$ 17.65	\$	17.80
TOU-8-SUB-D	2018	Energy	Summer	Off-Peak	\$ 0.02114	\$ 0.02194	\$ 0.02871	\$	0.02911
TOU-8-SUB-D	2018	Energy	Summer	Mid-peak	\$ 0.04126	\$ 0.04247	\$ 0.05277	\$	0.05337
TOU-8-SUB-D	2018	Energy	Summer	On-Peak	\$ 0.04773	\$ 0.04908	\$ 0.06051	\$	0.06118
TOU-8-SUB-D	2018	Energy	Winter	Off-Peak	\$ 0.02533	\$ 0.02621	\$ 0.03372	\$	0.03416
TOU-8-SUB-D	2018	Energy	Winter	Super Off-Peak	\$ 0.00988	\$ 0.01044	\$ 0.01525	\$	0.01553
TOU-8-SUB-D	2018	Energy	Winter	Mid-peak	\$ 0.03333	\$ 0.03437	\$ 0.04328	\$	0.04381
TOU-8-SUB-D	2018	Demand	Summer	On-Peak	\$ 19.90	\$ 20.31	\$ 23.80	\$	24.00
TOU-8-SUB-D	2018	Demand	Winter	Mid-peak	\$ 4.94	\$ 5.04	\$ 5.91	\$	5.96
TOU-8-SUB-E	2018	Energy	Summer	Off-Peak	\$ 0.02121	\$ 0.02201	\$ 0.02879	\$	0.02919
TOU-8-SUB-E	2018	Energy	Summer	Mid-peak	\$ 0.04133	\$ 0.04254	\$ 0.05285	\$	0.05345
TOU-8-SUB-E	2018	Energy	Summer	On-Peak	\$ 0.26645	\$ 0.27230	\$ 0.32203	\$	0.32495
TOU-8-SUB-E	2018	Energy	Winter	Off-Peak	\$ 0.02539	\$ 0.02628	\$ 0.03380	\$	0.03424

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-8-SUB-E	2018 Energy	Energy	Winter	Super Off-Peak	\$ 0.00995	\$ 0.01051	\$ 0.01533	\$	0.01561
TOU-8-SUB-E	2018 Energy	Energy	Winter	Mid-peak	\$ 0.07113	\$ 0.07296	\$ 0.08849	\$	0.08940
TOU-8-SUB-E	2018 Demand	Demand	Summer	On-Peak	\$ 1.41	\$ 1.44	\$ 1.68	\$	1.70
TOU-8-SUB-E	2018 Demand	Demand	Winter	Mid-peak	\$ 0.30	\$ 0.31	\$ 0.36	\$	0.36
TOU-8-SUB-R	2018 Energy	Energy	Summer	Off-Peak	\$ 0.02515	\$ 0.02603	\$ 0.03351	\$	0.03395
TOU-8-SUB-R	2018 Energy	Energy	Summer	Mid-peak	\$ 0.05819	\$ 0.05975	\$ 0.07301	\$	0.07379
TOU-8-SUB-R	2018 Energy	Energy	Summer	On-Peak	\$ 0.17643	\$ 0.18042	\$ 0.21439	\$	0.21639
TOU-8-SUB-R	2018 Energy	Energy	Winter	Off-Peak	\$ 0.02032	\$ 0.02110	\$ 0.02773	\$	0.02812
TOU-8-SUB-R	2018 Energy	Energy	Winter	Mid-peak	\$ 0.04670	\$ 0.04803	\$ 0.05928	\$	0.05994
TOU-EV-7	2018 Energy	Energy	Summer	Off-Peak	\$ 0.05809	\$ 0.05977	\$ 0.07403	\$	0.07487
TOU-EV-7	2018 Energy	Energy	Summer	Mid-peak	\$ 0.09187	\$ 0.09424	\$ 0.11442	\$	0.11561
TOU-EV-7	2018 Energy	Energy	Summer	On-Peak	\$ 0.19310	\$ 0.19756	\$ 0.23547	\$	0.23770
TOU-EV-7	2018 Energy	Energy	Winter	Off-Peak	\$ 0.05083	\$ 0.05235	\$ 0.06535	\$	0.06611
TOU-EV-7	2018 Energy	Energy	Winter	Super Off-Peak	\$ 0.01771	\$ 0.01856	\$ 0.02575	\$	0.02617
TOU-EV-7	2018 Energy	Energy	Winter	Mid-peak	\$ 0.10996	\$ 0.11271	\$ 0.13606	\$	0.13743
TOU-EV-8	2018 Energy	Energy	Summer	Off-Peak	\$ 0.03605	\$ 0.03731	\$ 0.04808	\$	0.04872
TOU-EV-8	2018 Energy	Energy	Summer	Mid-peak	\$ 0.05177	\$ 0.05336	\$ 0.06688	\$	0.06768
TOU-EV-8	2018 Energy	Energy	Summer	On-Peak	\$ 0.26751	\$ 0.27355	\$ 0.32484	\$	0.32786
TOU-EV-8	2018 Energy	Energy	Winter	Off-Peak	\$ 0.04492	\$ 0.04637	\$ 0.05870	\$	0.05942
TOU-EV-8	2018 Energy	Energy	Winter	Super Off-Peak	\$ 0.01005	\$ 0.01078	\$ 0.01700	\$	0.01736
TOU-EV-8	2018 Energy	Energy	Winter	Mid-peak	\$ 0.08890	\$ 0.09126	\$ 0.11128	\$	0.11246
TOU-EV-SEC-9	2018 Energy	Energy	Summer	Off-Peak	\$ 0.03217	\$ 0.03323	\$ 0.04231	\$	0.04285
TOU-EV-SEC-9	2018 Energy	Energy	Summer	Mid-peak	\$ 0.04720	\$ 0.04857	\$ 0.06028	\$	0.06097
TOU-EV-SEC-9	2018 Energy	Energy	Summer	On-Peak	\$ 0.24515	\$ 0.25061	\$ 0.29698	\$	0.29971
TOU-EV-SEC-9	2018 Energy	Energy	Winter	Off-Peak	\$ 0.03737	\$ 0.03855	\$ 0.04854	\$	0.04912
TOU-EV-SEC-9	2018 Energy	Energy	Winter	Super Off-Peak	\$ 0.01042	\$ 0.01104	\$ 0.01631	\$	0.01662
TOU-EV-SEC-9	2018 Energy	Energy	Winter	Mid-peak	\$ 0.07922	\$ 0.08125	\$ 0.09857	\$	0.09959
TOU-GS-1-A	2018 Energy	Energy	Summer	Off-Peak	\$ 0.08590	\$ 0.08815	\$ 0.10728	\$	0.10841
TOU-GS-1-A	2018 Energy	Energy	Summer	Mid-peak	\$ 0.09044	\$ 0.09278	\$ 0.11271	\$	0.11389
TOU-GS-1-A	2018 Energy	Energy	Summer	On-Peak	\$ 0.09804	\$ 0.10054	\$ 0.12180	\$	0.12306
TOU-GS-1-A	2018 Energy	Energy	Winter	Off-Peak	\$ 0.04480	\$ 0.04620	\$ 0.05814	\$	0.05884
TOU-GS-1-A	2018 Energy	Energy	Winter	Mid-peak	\$ 0.05238	\$ 0.05394	\$ 0.06721	\$	0.06799
TOU-GS-1-B	2018 Energy	Energy	Summer	Off-Peak	\$ 0.03331	\$ 0.03448	\$ 0.04441	\$	0.04499
TOU-GS-1-B	2018 Energy	Energy	Summer	Mid-peak	\$ 0.03567	\$ 0.03689	\$ 0.04723	\$	0.04784
TOU-GS-1-B	2018 Energy	Energy	Summer	On-Peak	\$ 0.03961	\$ 0.04091	\$ 0.05194	\$	0.05259
TOU-GS-1-B	2018 Energy	Energy	Winter	Off-Peak	\$ 0.04480	\$ 0.04620	\$ 0.05814	\$	0.05884
TOU-GS-1-B	2018 Energy	Energy	Winter	Mid-peak	\$ 0.05238	\$ 0.05394	\$ 0.06721	\$	0.06799
TOU-GS-1-B	2018 Demand	Demand	Summer	Mid-peak	\$ 3.18	\$ 3.25	\$ 3.81	\$	3.84
TOU-GS-1-B	2018 Demand	Demand	Summer	On-Peak	\$ 10.00	\$ 10.21	\$ 11.96	\$	12.06
TOU-GS-1-D	2018 Energy	Energy	Summer	Off-Peak	\$ 0.02775	\$ 0.02880	\$ 0.03775	\$	0.03828
TOU-GS-1-D	2018 Energy	Energy	Summer	Mid-peak	\$ 0.05527	\$ 0.05689	\$ 0.07067	\$	0.07148

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-GS-1-D	2018 Energy	Summer	On-Peak	\$ 0.06342	\$ 0.06521	\$ 0.08041	\$ 0.06521	\$ 0.08130	
TOU-GS-1-D	2018 Energy	Winter	Off-Peak	\$ 0.03513	\$ 0.03633	\$ 0.04658	\$ 0.03633	\$ 0.04718	
TOU-GS-1-D	2018 Energy	Winter	Super Off-Peak	\$ 0.02068	\$ 0.02159	\$ 0.02930	\$ 0.02159	\$ 0.02976	
TOU-GS-1-D	2018 Energy	Winter	Mid-peak	\$ 0.05847	\$ 0.06015	\$ 0.07449	\$ 0.06015	\$ 0.07533	
TOU-GS-1-D	2018 Demand	Summer	On-Peak	\$ 13.45	\$ 13.72	\$ 16.08	\$ 13.72	\$ 16.22	
TOU-GS-1-D	2018 Demand	Winter	Mid-peak	\$ 3.13	\$ 3.19	\$ 3.74	\$ 3.19	\$ 3.77	
TOU-GS-1-E	2018 Energy	Summer	Off-Peak	\$ 0.04963	\$ 0.05114	\$ 0.06392	\$ 0.05114	\$ 0.06467	
TOU-GS-1-E	2018 Energy	Summer	Mid-peak	\$ 0.09180	\$ 0.09417	\$ 0.11434	\$ 0.09417	\$ 0.11553	
TOU-GS-1-E	2018 Energy	Summer	On-Peak	\$ 0.26520	\$ 0.27115	\$ 0.32168	\$ 0.27115	\$ 0.32465	
TOU-GS-1-E	2018 Energy	Winter	Off-Peak	\$ 0.04063	\$ 0.04195	\$ 0.05316	\$ 0.04195	\$ 0.05382	
TOU-GS-1-E	2018 Energy	Winter	Super Off-Peak	\$ 0.01764	\$ 0.01849	\$ 0.02567	\$ 0.01849	\$ 0.02609	
TOU-GS-1-E	2018 Energy	Winter	Mid-peak	\$ 0.10990	\$ 0.11264	\$ 0.13598	\$ 0.11264	\$ 0.13735	
TOU-GS-1-ES	2018 Energy	Summer	Off-Peak	\$ 0.03196	\$ 0.03310	\$ 0.04279	\$ 0.03310	\$ 0.04336	
TOU-GS-1-ES	2018 Energy	Summer	Mid-peak	\$ 0.10622	\$ 0.10889	\$ 0.13158	\$ 0.10889	\$ 0.13291	
TOU-GS-1-ES	2018 Energy	Summer	On-Peak	\$ 0.37598	\$ 0.38421	\$ 0.45414	\$ 0.38421	\$ 0.45825	
TOU-GS-1-ES	2018 Energy	Winter	Off-Peak	\$ 0.03738	\$ 0.03863	\$ 0.04927	\$ 0.03863	\$ 0.04990	
TOU-GS-1-ES	2018 Energy	Winter	Super Off-Peak	\$ 0.01555	\$ 0.01636	\$ 0.02317	\$ 0.01636	\$ 0.02357	
TOU-GS-1-ES	2018 Energy	Winter	Mid-peak	\$ 0.10314	\$ 0.10574	\$ 0.12790	\$ 0.10574	\$ 0.12920	
TOU-GS-1-PRI-A	2018 Energy	Summer	Off-Peak	\$ 0.08468	\$ 0.08691	\$ 0.10583	\$ 0.08691	\$ 0.10694	
TOU-GS-1-PRI-A	2018 Energy	Summer	Mid-peak	\$ 0.08923	\$ 0.09155	\$ 0.11126	\$ 0.09155	\$ 0.11242	
TOU-GS-1-PRI-A	2018 Energy	Summer	On-Peak	\$ 0.09683	\$ 0.09930	\$ 0.12035	\$ 0.09930	\$ 0.12159	
TOU-GS-1-PRI-A	2018 Energy	Winter	Off-Peak	\$ 0.04358	\$ 0.04496	\$ 0.05669	\$ 0.04496	\$ 0.05738	
TOU-GS-1-PRI-A	2018 Energy	Winter	Mid-peak	\$ 0.05117	\$ 0.05270	\$ 0.06576	\$ 0.05270	\$ 0.06652	
TOU-GS-1-PRI-B	2018 Energy	Summer	Off-Peak	\$ 0.03254	\$ 0.03370	\$ 0.04349	\$ 0.03370	\$ 0.04407	
TOU-GS-1-PRI-B	2018 Energy	Summer	Mid-peak	\$ 0.03490	\$ 0.03610	\$ 0.04631	\$ 0.03610	\$ 0.04691	
TOU-GS-1-PRI-B	2018 Energy	Summer	On-Peak	\$ 0.03885	\$ 0.04013	\$ 0.05102	\$ 0.04013	\$ 0.05167	
TOU-GS-1-PRI-B	2018 Energy	Winter	Off-Peak	\$ 0.04403	\$ 0.04542	\$ 0.05722	\$ 0.04542	\$ 0.05792	
TOU-GS-1-PRI-B	2018 Energy	Winter	Mid-peak	\$ 0.05161	\$ 0.05316	\$ 0.06629	\$ 0.05316	\$ 0.06706	
TOU-GS-1-PRI-B	2018 Demand	Summer	Mid-peak	\$ 3.04	\$ 3.10	\$ 3.63	\$ 3.10	\$ 3.66	
TOU-GS-1-PRI-B	2018 Demand	Summer	On-Peak	\$ 9.85	\$ 10.06	\$ 11.78	\$ 10.06	\$ 11.88	
TOU-GS-1-PRI-D	2018 Energy	Summer	Off-Peak	\$ 0.02698	\$ 0.02802	\$ 0.03684	\$ 0.02802	\$ 0.03736	
TOU-GS-1-PRI-D	2018 Energy	Summer	Mid-peak	\$ 0.05451	\$ 0.05611	\$ 0.06975	\$ 0.05611	\$ 0.07055	
TOU-GS-1-PRI-D	2018 Energy	Summer	On-Peak	\$ 0.06265	\$ 0.06442	\$ 0.07949	\$ 0.06442	\$ 0.08038	
TOU-GS-1-PRI-D	2018 Energy	Winter	Off-Peak	\$ 0.03436	\$ 0.03555	\$ 0.04566	\$ 0.03555	\$ 0.04626	
TOU-GS-1-PRI-D	2018 Energy	Winter	Super Off-Peak	\$ 0.01991	\$ 0.02080	\$ 0.02839	\$ 0.02080	\$ 0.02883	
TOU-GS-1-PRI-D	2018 Energy	Winter	Mid-peak	\$ 0.05770	\$ 0.05937	\$ 0.07357	\$ 0.05937	\$ 0.07440	
TOU-GS-1-PRI-D	2018 Demand	Summer	On-Peak	\$ 13.34	\$ 13.62	\$ 15.95	\$ 13.62	\$ 16.09	
TOU-GS-1-PRI-D	2018 Demand	Winter	Mid-peak	\$ 3.02	\$ 3.08	\$ 3.61	\$ 3.08	\$ 3.64	
TOU-GS-1-PRI-E	2018 Energy	Summer	Off-Peak	\$ 0.04842	\$ 0.04990	\$ 0.06247	\$ 0.04990	\$ 0.06321	
TOU-GS-1-PRI-E	2018 Energy	Summer	Mid-peak	\$ 0.09058	\$ 0.09293	\$ 0.11289	\$ 0.09293	\$ 0.11406	
TOU-GS-1-PRI-E	2018 Energy	Summer	On-Peak	\$ 0.26399	\$ 0.26991	\$ 0.32023	\$ 0.26991	\$ 0.32319	

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-GS-1-PRI-E	2018 Energy	Winter	Off-Peak	\$ 0.03942	\$ 0.04071	\$ 0.05171	\$ 0.04071	\$ 0.05236	
TOU-GS-1-PRI-E	2018 Energy	Winter	Super Off-Peak	\$ 0.01643	\$ 0.01725	\$ 0.02422	\$ 0.01725	\$ 0.02463	
TOU-GS-1-PRI-E	2018 Energy	Winter	Mid-peak	\$ 0.10868	\$ 0.11140	\$ 0.13453	\$ 0.11140	\$ 0.13589	
TOU-GS-1-PRI-ES	2018 Energy	Summer	Off-Peak	\$ 0.03075	\$ 0.03186	\$ 0.04134	\$ 0.04134	\$ 0.04190	
TOU-GS-1-PRI-ES	2018 Energy	Summer	Mid-peak	\$ 0.10500	\$ 0.10765	\$ 0.13013	\$ 0.13013	\$ 0.13145	
TOU-GS-1-PRI-ES	2018 Energy	Summer	On-Peak	\$ 0.37477	\$ 0.38297	\$ 0.45269	\$ 0.45269	\$ 0.45679	
TOU-GS-1-PRI-ES	2018 Energy	Winter	Off-Peak	\$ 0.03617	\$ 0.03739	\$ 0.04782	\$ 0.04782	\$ 0.04843	
TOU-GS-1-PRI-ES	2018 Energy	Winter	Super Off-Peak	\$ 0.01434	\$ 0.01512	\$ 0.02172	\$ 0.02172	\$ 0.02211	
TOU-GS-1-PRI-ES	2018 Energy	Winter	Mid-peak	\$ 0.10192	\$ 0.10451	\$ 0.12645	\$ 0.12645	\$ 0.12774	
TOU-GS-1-SUB-A	2018 Energy	Summer	Off-Peak	\$ 0.08322	\$ 0.08541	\$ 0.10408	\$ 0.08541	\$ 0.10518	
TOU-GS-1-SUB-A	2018 Energy	Summer	Mid-peak	\$ 0.08776	\$ 0.09005	\$ 0.10951	\$ 0.09005	\$ 0.11066	
TOU-GS-1-SUB-A	2018 Energy	Summer	On-Peak	\$ 0.09536	\$ 0.09781	\$ 0.11860	\$ 0.09781	\$ 0.11982	
TOU-GS-1-SUB-A	2018 Energy	Winter	Off-Peak	\$ 0.04212	\$ 0.04347	\$ 0.05494	\$ 0.04347	\$ 0.05561	
TOU-GS-1-SUB-A	2018 Energy	Winter	Mid-peak	\$ 0.04970	\$ 0.05121	\$ 0.06400	\$ 0.05121	\$ 0.06476	
TOU-GS-1-SUB-B	2018 Energy	Summer	Off-Peak	\$ 0.03184	\$ 0.03298	\$ 0.04265	\$ 0.03298	\$ 0.04322	
TOU-GS-1-SUB-B	2018 Energy	Summer	Mid-peak	\$ 0.03420	\$ 0.03539	\$ 0.04547	\$ 0.03539	\$ 0.04607	
TOU-GS-1-SUB-B	2018 Energy	Summer	On-Peak	\$ 0.03815	\$ 0.03941	\$ 0.05019	\$ 0.03941	\$ 0.05082	
TOU-GS-1-SUB-B	2018 Energy	Winter	Off-Peak	\$ 0.04333	\$ 0.04470	\$ 0.05639	\$ 0.04470	\$ 0.05707	
TOU-GS-1-SUB-B	2018 Energy	Winter	Mid-peak	\$ 0.05091	\$ 0.05244	\$ 0.06545	\$ 0.05244	\$ 0.06622	
TOU-GS-1-SUB-B	2018 Demand	Summer	Mid-peak	\$ 2.80	\$ 2.85	\$ 3.34	\$ 2.85	\$ 3.37	
TOU-GS-1-SUB-B	2018 Demand	Summer	On-Peak	\$ 9.61	\$ 9.81	\$ 11.49	\$ 9.81	\$ 11.59	
TOU-GS-1-SUB-D	2018 Energy	Summer	Off-Peak	\$ 0.02628	\$ 0.02730	\$ 0.03600	\$ 0.02730	\$ 0.03651	
TOU-GS-1-SUB-D	2018 Energy	Summer	Mid-peak	\$ 0.05381	\$ 0.05540	\$ 0.06891	\$ 0.05540	\$ 0.06971	
TOU-GS-1-SUB-D	2018 Energy	Summer	On-Peak	\$ 0.06195	\$ 0.06371	\$ 0.07865	\$ 0.06371	\$ 0.07953	
TOU-GS-1-SUB-D	2018 Energy	Winter	Off-Peak	\$ 0.03366	\$ 0.03484	\$ 0.04482	\$ 0.03484	\$ 0.04541	
TOU-GS-1-SUB-D	2018 Energy	Winter	Super Off-Peak	\$ 0.01921	\$ 0.02009	\$ 0.02755	\$ 0.02009	\$ 0.02799	
TOU-GS-1-SUB-D	2018 Energy	Winter	Mid-peak	\$ 0.05700	\$ 0.05866	\$ 0.07273	\$ 0.05866	\$ 0.07356	
TOU-GS-1-SUB-D	2018 Demand	Summer	On-Peak	\$ 13.16	\$ 13.43	\$ 15.73	\$ 13.43	\$ 15.87	
TOU-GS-1-SUB-D	2018 Demand	Winter	Mid-peak	\$ 2.84	\$ 2.89	\$ 3.39	\$ 2.89	\$ 3.42	
TOU-GS-1-SUB-E	2018 Energy	Summer	Off-Peak	\$ 0.04695	\$ 0.04840	\$ 0.06072	\$ 0.04840	\$ 0.06144	
TOU-GS-1-SUB-E	2018 Energy	Summer	Mid-peak	\$ 0.08912	\$ 0.09144	\$ 0.11114	\$ 0.09144	\$ 0.11229	
TOU-GS-1-SUB-E	2018 Energy	Summer	On-Peak	\$ 0.26252	\$ 0.26841	\$ 0.31847	\$ 0.26841	\$ 0.32142	
TOU-GS-1-SUB-E	2018 Energy	Winter	Off-Peak	\$ 0.03795	\$ 0.03922	\$ 0.04996	\$ 0.03922	\$ 0.05059	
TOU-GS-1-SUB-E	2018 Energy	Winter	Super Off-Peak	\$ 0.01496	\$ 0.01575	\$ 0.02247	\$ 0.01575	\$ 0.02286	
TOU-GS-1-SUB-E	2018 Energy	Winter	Mid-peak	\$ 0.10722	\$ 0.10991	\$ 0.13277	\$ 0.10991	\$ 0.13412	
TOU-GS-2-B	2018 Energy	Summer	Off-Peak	\$ 0.03031	\$ 0.03146	\$ 0.04122	\$ 0.03146	\$ 0.04180	
TOU-GS-2-B	2018 Energy	Summer	Mid-peak	\$ 0.03263	\$ 0.03383	\$ 0.04400	\$ 0.03383	\$ 0.04460	
TOU-GS-2-B	2018 Energy	Summer	On-Peak	\$ 0.03651	\$ 0.03779	\$ 0.04864	\$ 0.03779	\$ 0.04928	
TOU-GS-2-B	2018 Energy	Winter	Off-Peak	\$ 0.02159	\$ 0.02256	\$ 0.03080	\$ 0.02256	\$ 0.03128	
TOU-GS-2-B	2018 Energy	Winter	Mid-peak	\$ 0.04979	\$ 0.05134	\$ 0.06452	\$ 0.05134	\$ 0.06530	
TOU-GS-2-B	2018 Demand	Summer	Mid-peak	\$ 4.22	\$ 4.31	\$ 5.05	\$ 4.31	\$ 5.09	

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-GS-2-B	2018 Demand	Summer	On-Peak	\$	12.71	\$	12.97	\$	15.33
TOU-GS-2-D	2018 Energy	Summer	Off-Peak	\$	0.02470	\$	0.02573	\$	0.03503
TOU-GS-2-D	2018 Energy	Summer	Mid-peak	\$	0.05170	\$	0.05329	\$	0.06759
TOU-GS-2-D	2018 Energy	Summer	On-Peak	\$	0.06033	\$	0.06210	\$	0.07800
TOU-GS-2-D	2018 Energy	Winter	Off-Peak	\$	0.02984	\$	0.03098	\$	0.04124
TOU-GS-2-D	2018 Energy	Winter	Super Off-Peak	\$	0.00998	\$	0.01071	\$	0.01728
TOU-GS-2-D	2018 Energy	Winter	Mid-peak	\$	0.04044	\$	0.04179	\$	0.05401
TOU-GS-2-D	2018 Demand	Summer	On-Peak	\$	18.11	\$	18.48	\$	21.84
TOU-GS-2-D	2018 Demand	Winter	Mid-peak	\$	3.67	\$	3.75	\$	4.43
TOU-GS-2-E	2018 Energy	Summer	Off-Peak	\$	0.02476	\$	0.02580	\$	0.03511
TOU-GS-2-E	2018 Energy	Summer	Mid-peak	\$	0.05177	\$	0.05336	\$	0.06768
TOU-GS-2-E	2018 Energy	Summer	On-Peak	\$	0.29866	\$	0.30533	\$	0.36542
TOU-GS-2-E	2018 Energy	Winter	Off-Peak	\$	0.02991	\$	0.03105	\$	0.04132
TOU-GS-2-E	2018 Energy	Winter	Super Off-Peak	\$	0.01005	\$	0.01078	\$	0.01736
TOU-GS-2-E	2018 Energy	Winter	Mid-peak	\$	0.07879	\$	0.08093	\$	0.10026
TOU-GS-2-E	2018 Demand	Summer	On-Peak	\$	3.95	\$	4.03	\$	4.77
TOU-GS-2-E	2018 Demand	Winter	Mid-peak	\$	0.77	\$	0.78	\$	0.93
TOU-GS-2-PRI-B	2018 Energy	Summer	Off-Peak	\$	0.02949	\$	0.03063	\$	0.04081
TOU-GS-2-PRI-B	2018 Energy	Summer	Mid-peak	\$	0.03181	\$	0.03299	\$	0.04361
TOU-GS-2-PRI-B	2018 Energy	Summer	On-Peak	\$	0.03570	\$	0.03696	\$	0.04830
TOU-GS-2-PRI-B	2018 Energy	Winter	Off-Peak	\$	0.02077	\$	0.02173	\$	0.03030
TOU-GS-2-PRI-B	2018 Energy	Winter	Mid-peak	\$	0.04898	\$	0.05051	\$	0.06431
TOU-GS-2-PRI-B	2018 Demand	Summer	Mid-peak	\$	4.06	\$	4.14	\$	4.89
TOU-GS-2-PRI-B	2018 Demand	Summer	On-Peak	\$	12.54	\$	12.80	\$	15.13
TOU-GS-2-PRI-D	2018 Energy	Summer	Off-Peak	\$	0.02388	\$	0.02490	\$	0.03405
TOU-GS-2-PRI-D	2018 Energy	Summer	Mid-peak	\$	0.05088	\$	0.05245	\$	0.06661
TOU-GS-2-PRI-D	2018 Energy	Summer	On-Peak	\$	0.05951	\$	0.06126	\$	0.07702
TOU-GS-2-PRI-D	2018 Energy	Winter	Off-Peak	\$	0.02903	\$	0.03015	\$	0.04025
TOU-GS-2-PRI-D	2018 Energy	Winter	Super Off-Peak	\$	0.00916	\$	0.00988	\$	0.01630
TOU-GS-2-PRI-D	2018 Energy	Winter	Mid-peak	\$	0.03962	\$	0.04096	\$	0.05303
TOU-GS-2-PRI-D	2018 Demand	Summer	On-Peak	\$	17.97	\$	18.34	\$	21.67
TOU-GS-2-PRI-D	2018 Demand	Winter	Mid-peak	\$	3.53	\$	3.61	\$	4.26
TOU-GS-2-PRI-E	2018 Energy	Summer	Off-Peak	\$	0.02363	\$	0.02464	\$	0.03374
TOU-GS-2-PRI-E	2018 Energy	Summer	Mid-peak	\$	0.05063	\$	0.05220	\$	0.06631
TOU-GS-2-PRI-E	2018 Energy	Summer	On-Peak	\$	0.29752	\$	0.30417	\$	0.36405
TOU-GS-2-PRI-E	2018 Energy	Winter	Off-Peak	\$	0.02877	\$	0.02989	\$	0.03995
TOU-GS-2-PRI-E	2018 Energy	Winter	Super Off-Peak	\$	0.00891	\$	0.00962	\$	0.01599
TOU-GS-2-PRI-E	2018 Energy	Winter	Mid-peak	\$	0.07765	\$	0.07977	\$	0.09889
TOU-GS-2-PRI-E	2018 Demand	Summer	On-Peak	\$	3.92	\$	4.00	\$	4.73
TOU-GS-2-PRI-E	2018 Demand	Winter	Mid-peak	\$	0.74	\$	0.75	\$	0.89
TOU-GS-2-PRI-R	2018 Energy	Summer	Off-Peak	\$	0.02909	\$	0.03022	\$	0.04033

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-GS-2-PRI-R	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.07519	\$ 0.07727	\$ 0.09489	\$ 0.07727	\$ 0.09593
TOU-GS-2-PRI-R	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.19151	\$ 0.19598	\$ 0.23397	\$ 0.19598	\$ 0.23620
TOU-GS-2-PRI-R	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02038	\$ 0.02132	\$ 0.02935	\$ 0.02132	\$ 0.02982
TOU-GS-2-PRI-R	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04858	\$ 0.05011	\$ 0.06307	\$ 0.05011	\$ 0.06383
TOU-GS-2-R	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.03031	\$ 0.03146	\$ 0.04122	\$ 0.03146	\$ 0.04180
TOU-GS-2-R	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.07641	\$ 0.07851	\$ 0.09634	\$ 0.07851	\$ 0.09739
TOU-GS-2-R	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.19272	\$ 0.19722	\$ 0.23542	\$ 0.19722	\$ 0.23767
TOU-GS-2-R	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02159	\$ 0.02256	\$ 0.03080	\$ 0.02256	\$ 0.03128
TOU-GS-2-R	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04979	\$ 0.05134	\$ 0.06452	\$ 0.05134	\$ 0.06530
TOU-GS-2-SUB-B	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02851	\$ 0.02962	\$ 0.03908	\$ 0.02962	\$ 0.03963
TOU-GS-2-SUB-B	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.03083	\$ 0.03199	\$ 0.04185	\$ 0.03199	\$ 0.04243
TOU-GS-2-SUB-B	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.03472	\$ 0.03596	\$ 0.04649	\$ 0.03596	\$ 0.04711
TOU-GS-2-SUB-B	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.01979	\$ 0.02073	\$ 0.02865	\$ 0.02073	\$ 0.02912
TOU-GS-2-SUB-B	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04800	\$ 0.04951	\$ 0.06238	\$ 0.04951	\$ 0.06313
TOU-GS-2-SUB-B	2018 Demand	Mid-peak	Summer	Mid-peak	\$ 3.74	\$ 3.81	\$ 4.47	\$ 3.81	\$ 4.51
TOU-GS-2-SUB-B	2018 Demand	On-Peak	Summer	On-Peak	\$ 12.22	\$ 12.48	\$ 14.62	\$ 12.48	\$ 14.74
TOU-GS-2-SUB-D	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02290	\$ 0.02390	\$ 0.03237	\$ 0.02390	\$ 0.03286
TOU-GS-2-SUB-D	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.04990	\$ 0.05145	\$ 0.06465	\$ 0.05145	\$ 0.06543
TOU-GS-2-SUB-D	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.05853	\$ 0.06026	\$ 0.07497	\$ 0.06026	\$ 0.07584
TOU-GS-2-SUB-D	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02805	\$ 0.02915	\$ 0.03852	\$ 0.02915	\$ 0.03907
TOU-GS-2-SUB-D	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.00818	\$ 0.00887	\$ 0.01477	\$ 0.00887	\$ 0.01511
TOU-GS-2-SUB-D	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.03864	\$ 0.03996	\$ 0.05118	\$ 0.03996	\$ 0.05184
TOU-GS-2-SUB-D	2018 Demand	On-Peak	Summer	On-Peak	\$ 17.72	\$ 18.08	\$ 21.19	\$ 18.08	\$ 21.37
TOU-GS-2-SUB-D	2018 Demand	Mid-peak	Winter	Mid-peak	\$ 3.28	\$ 3.35	\$ 3.92	\$ 3.35	\$ 3.96
TOU-GS-3-B	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.03084	\$ 0.03193	\$ 0.04117	\$ 0.03193	\$ 0.04171
TOU-GS-3-B	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.03295	\$ 0.03409	\$ 0.04370	\$ 0.03409	\$ 0.04426
TOU-GS-3-B	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.03670	\$ 0.03791	\$ 0.04818	\$ 0.03791	\$ 0.04878
TOU-GS-3-B	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02300	\$ 0.02393	\$ 0.03180	\$ 0.02393	\$ 0.03226
TOU-GS-3-B	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04480	\$ 0.04617	\$ 0.05786	\$ 0.04617	\$ 0.05855
TOU-GS-3-B	2018 Demand	Mid-peak	Summer	Mid-peak	\$ 3.89	\$ 3.97	\$ 4.66	\$ 3.97	\$ 4.70
TOU-GS-3-B	2018 Demand	On-Peak	Summer	On-Peak	\$ 11.71	\$ 11.95	\$ 14.00	\$ 11.95	\$ 14.12
TOU-GS-3-D	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02605	\$ 0.02704	\$ 0.03544	\$ 0.02704	\$ 0.03594
TOU-GS-3-D	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.05105	\$ 0.05256	\$ 0.06534	\$ 0.05256	\$ 0.06609
TOU-GS-3-D	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.05922	\$ 0.06089	\$ 0.07510	\$ 0.06089	\$ 0.07594
TOU-GS-3-D	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.03096	\$ 0.03205	\$ 0.04132	\$ 0.03205	\$ 0.04186
TOU-GS-3-D	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.01198	\$ 0.01268	\$ 0.01862	\$ 0.01268	\$ 0.01897
TOU-GS-3-D	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04109	\$ 0.04239	\$ 0.05343	\$ 0.04239	\$ 0.05408
TOU-GS-3-D	2018 Demand	On-Peak	Summer	On-Peak	\$ 17.53	\$ 17.90	\$ 20.97	\$ 17.90	\$ 21.15
TOU-GS-3-D	2018 Demand	Mid-peak	Winter	Mid-peak	\$ 3.19	\$ 3.26	\$ 3.82	\$ 3.26	\$ 3.85
TOU-GS-3-E	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02612	\$ 0.02711	\$ 0.03552	\$ 0.02711	\$ 0.03602
TOU-GS-3-E	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.05112	\$ 0.05263	\$ 0.06542	\$ 0.05263	\$ 0.06617

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-GS-3-E	2018 Energy	Summer	On-Peak	\$ 0.26824	\$ 0.27422	\$ 0.32503	\$ 0.27422	\$ 0.32802	
TOU-GS-3-E	2018 Energy	Winter	Off-Peak	\$ 0.03103	\$ 0.03212	\$ 0.04140	\$ 0.03212	\$ 0.04194	
TOU-GS-3-E	2018 Energy	Winter	Super Off-Peak	\$ 0.01205	\$ 0.01275	\$ 0.01870	\$ 0.01275	\$ 0.01905	
TOU-GS-3-E	2018 Energy	Winter	Mid-peak	\$ 0.07109	\$ 0.07301	\$ 0.08930	\$ 0.07301	\$ 0.09026	
TOU-GS-3-E	2018 Demand	Summer	On-Peak	\$ 3.83	\$ 3.90	\$ 4.57	\$ 3.90	\$ 4.61	
TOU-GS-3-E	2018 Demand	Winter	Mid-peak	\$ 0.67	\$ 0.68	\$ 0.80	\$ 0.68	\$ 0.81	
TOU-GS-3-PRI-B	2018 Energy	Summer	Off-Peak	\$ 0.03003	\$ 0.03110	\$ 0.04020	\$ 0.03110	\$ 0.04074	
TOU-GS-3-PRI-B	2018 Energy	Summer	Mid-peak	\$ 0.03215	\$ 0.03326	\$ 0.04273	\$ 0.03326	\$ 0.04329	
TOU-GS-3-PRI-B	2018 Energy	Summer	On-Peak	\$ 0.03590	\$ 0.03709	\$ 0.04722	\$ 0.03709	\$ 0.04781	
TOU-GS-3-PRI-B	2018 Energy	Winter	Off-Peak	\$ 0.02220	\$ 0.02311	\$ 0.03083	\$ 0.02311	\$ 0.03129	
TOU-GS-3-PRI-B	2018 Energy	Winter	Mid-peak	\$ 0.04399	\$ 0.04535	\$ 0.05690	\$ 0.04535	\$ 0.05758	
TOU-GS-3-PRI-B	2018 Demand	Summer	Mid-peak	\$ 3.73	\$ 3.81	\$ 4.46	\$ 3.81	\$ 4.50	
TOU-GS-3-PRI-B	2018 Demand	Summer	On-Peak	\$ 11.54	\$ 11.78	\$ 13.80	\$ 11.78	\$ 13.92	
TOU-GS-3-PRI-D	2018 Energy	Summer	Off-Peak	\$ 0.02525	\$ 0.02622	\$ 0.03448	\$ 0.02622	\$ 0.03497	
TOU-GS-3-PRI-D	2018 Energy	Summer	Mid-peak	\$ 0.05025	\$ 0.05173	\$ 0.06437	\$ 0.05173	\$ 0.06512	
TOU-GS-3-PRI-D	2018 Energy	Summer	On-Peak	\$ 0.05841	\$ 0.06007	\$ 0.07414	\$ 0.06007	\$ 0.07496	
TOU-GS-3-PRI-D	2018 Energy	Winter	Off-Peak	\$ 0.03016	\$ 0.03123	\$ 0.04035	\$ 0.03123	\$ 0.04089	
TOU-GS-3-PRI-D	2018 Energy	Winter	Super Off-Peak	\$ 0.01118	\$ 0.01186	\$ 0.01766	\$ 0.01186	\$ 0.01800	
TOU-GS-3-PRI-D	2018 Energy	Winter	Mid-peak	\$ 0.04029	\$ 0.04157	\$ 0.05246	\$ 0.04157	\$ 0.05310	
TOU-GS-3-PRI-D	2018 Demand	Summer	On-Peak	\$ 17.40	\$ 17.76	\$ 20.80	\$ 17.76	\$ 20.98	
TOU-GS-3-PRI-D	2018 Demand	Winter	Mid-peak	\$ 3.06	\$ 3.12	\$ 3.66	\$ 3.12	\$ 3.69	
TOU-GS-3-PRI-E	2018 Energy	Summer	Off-Peak	\$ 0.02504	\$ 0.02601	\$ 0.03424	\$ 0.02601	\$ 0.03472	
TOU-GS-3-PRI-E	2018 Energy	Summer	Mid-peak	\$ 0.05004	\$ 0.05153	\$ 0.06413	\$ 0.05153	\$ 0.06487	
TOU-GS-3-PRI-E	2018 Energy	Summer	On-Peak	\$ 0.26717	\$ 0.27312	\$ 0.32374	\$ 0.27312	\$ 0.32672	
TOU-GS-3-PRI-E	2018 Energy	Winter	Off-Peak	\$ 0.02995	\$ 0.03102	\$ 0.04011	\$ 0.03102	\$ 0.04064	
TOU-GS-3-PRI-E	2018 Energy	Winter	Super Off-Peak	\$ 0.01097	\$ 0.01165	\$ 0.01741	\$ 0.01165	\$ 0.01775	
TOU-GS-3-PRI-E	2018 Energy	Winter	Mid-peak	\$ 0.07001	\$ 0.07191	\$ 0.08801	\$ 0.07191	\$ 0.08896	
TOU-GS-3-PRI-E	2018 Demand	Summer	On-Peak	\$ 3.80	\$ 3.87	\$ 4.54	\$ 3.87	\$ 4.58	
TOU-GS-3-PRI-E	2018 Demand	Winter	Mid-peak	\$ 0.64	\$ 0.65	\$ 0.77	\$ 0.65	\$ 0.77	
TOU-GS-3-PRI-R	2018 Energy	Summer	Off-Peak	\$ 0.02968	\$ 0.03075	\$ 0.03979	\$ 0.03075	\$ 0.04032	
TOU-GS-3-PRI-R	2018 Energy	Summer	Mid-peak	\$ 0.06798	\$ 0.06983	\$ 0.08557	\$ 0.06983	\$ 0.08650	
TOU-GS-3-PRI-R	2018 Energy	Summer	On-Peak	\$ 0.17198	\$ 0.17597	\$ 0.20993	\$ 0.17597	\$ 0.21192	
TOU-GS-3-PRI-R	2018 Energy	Winter	Off-Peak	\$ 0.02185	\$ 0.02275	\$ 0.03042	\$ 0.02275	\$ 0.03087	
TOU-GS-3-PRI-R	2018 Energy	Winter	Mid-peak	\$ 0.04364	\$ 0.04500	\$ 0.05648	\$ 0.04500	\$ 0.05715	
TOU-GS-3-R	2018 Energy	Summer	Off-Peak	\$ 0.03084	\$ 0.03193	\$ 0.04117	\$ 0.03193	\$ 0.04171	
TOU-GS-3-R	2018 Energy	Summer	Mid-peak	\$ 0.06913	\$ 0.07101	\$ 0.08695	\$ 0.07101	\$ 0.08789	
TOU-GS-3-R	2018 Energy	Summer	On-Peak	\$ 0.17313	\$ 0.17715	\$ 0.21131	\$ 0.17715	\$ 0.21332	
TOU-GS-3-R	2018 Energy	Winter	Off-Peak	\$ 0.02300	\$ 0.02393	\$ 0.03180	\$ 0.02393	\$ 0.03226	
TOU-GS-3-R	2018 Energy	Winter	Mid-peak	\$ 0.04480	\$ 0.04617	\$ 0.05786	\$ 0.04617	\$ 0.05855	
TOU-PA-2-A	2018 Energy	Summer	Off-Peak	\$ 0.03015	\$ 0.03122	\$ 0.04026	\$	\$ 0.04080	
TOU-PA-2-A	2018 Energy	Summer	Mid-peak	\$ 0.06028	\$ 0.06196	\$ 0.07629	\$	\$ 0.07713	

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-PA-2-A	2018 Energy	Summer	On-Peak	\$ 0.17543	\$ 0.17948	\$	0.21397	\$	0.21600
TOU-PA-2-A	2018 Energy	Winter	Off-Peak	\$ 0.02409	\$ 0.02503	\$	0.03302	\$	0.03349
TOU-PA-2-A	2018 Energy	Winter	Mid-peak	\$ 0.04792	\$ 0.04935	\$	0.06151	\$	0.06222
TOU-PA-2-B	2018 Energy	Summer	Off-Peak	\$ 0.03015	\$ 0.03122	\$	0.04026	\$	0.04080
TOU-PA-2-B	2018 Energy	Summer	Mid-peak	\$ 0.03156	\$ 0.03265	\$	0.04195	\$	0.04250
TOU-PA-2-B	2018 Energy	Summer	On-Peak	\$ 0.03589	\$ 0.03707	\$	0.04713	\$	0.04772
TOU-PA-2-B	2018 Energy	Winter	Off-Peak	\$ 0.02409	\$ 0.02503	\$	0.03302	\$	0.03349
TOU-PA-2-B	2018 Energy	Winter	Mid-peak	\$ 0.04792	\$ 0.04935	\$	0.06151	\$	0.06222
TOU-PA-2-B	2018 Demand	Summer	Mid-peak	\$ 2.55	\$ 2.61	\$	3.05	\$	3.08
TOU-PA-2-B	2018 Demand	Summer	On-Peak	\$ 8.37	\$ 8.54	\$	10.01	\$	10.09
TOU-PA-2-D	2018 Energy	Summer	Off-Peak	\$ 0.02583	\$ 0.02681	\$	0.03510	\$	0.03559
TOU-PA-2-D	2018 Energy	Summer	Mid-peak	\$ 0.04872	\$ 0.05017	\$	0.06247	\$	0.06320
TOU-PA-2-D	2018 Energy	Summer	On-Peak	\$ 0.05659	\$ 0.05820	\$	0.07188	\$	0.07268
TOU-PA-2-D	2018 Energy	Winter	Off-Peak	\$ 0.02609	\$ 0.02707	\$	0.03541	\$	0.03590
TOU-PA-2-D	2018 Energy	Winter	Super Off-Peak	\$ 0.01913	\$ 0.01997	\$	0.02709	\$	0.02751
TOU-PA-2-D	2018 Energy	Winter	Mid-peak	\$ 0.03831	\$ 0.03954	\$	0.05002	\$	0.05063
TOU-PA-2-D	2018 Demand	Summer	On-Peak	\$ 11.08	\$ 11.31	\$	13.25	\$	13.36
TOU-PA-2-D	2018 Demand	Winter	Mid-peak	\$ 1.95	\$ 1.99	\$	2.33	\$	2.35
TOU-PA-2-D-5TO8	2018 Energy	Summer	Off-Peak	\$ 0.02617	\$ 0.02715	\$	0.03551	\$	0.03600
TOU-PA-2-D-5TO8	2018 Energy	Summer	Mid-peak	\$ 0.09026	\$ 0.09256	\$	0.11214	\$	0.11329
TOU-PA-2-D-5TO8	2018 Energy	Summer	On-Peak	\$ 0.10373	\$ 0.10631	\$	0.12824	\$	0.12953
TOU-PA-2-D-5TO8	2018 Energy	Winter	Off-Peak	\$ 0.02638	\$ 0.02737	\$	0.03576	\$	0.03625
TOU-PA-2-D-5TO8	2018 Energy	Winter	Super Off-Peak	\$ 0.01938	\$ 0.02023	\$	0.02739	\$	0.02781
TOU-PA-2-D-5TO8	2018 Energy	Winter	Mid-peak	\$ 0.03868	\$ 0.03992	\$	0.05046	\$	0.05108
TOU-PA-2-D-5TO8	2018 Demand	Summer	On-Peak	\$ 11.10	\$ 11.33	\$	13.27	\$	13.38
TOU-PA-2-D-5TO8	2018 Demand	Winter	Mid-peak	\$ 2.01	\$ 2.05	\$	2.40	\$	2.42
TOU-PA-2-E	2018 Energy	Summer	Off-Peak	\$ 0.02590	\$ 0.02688	\$	0.03518	\$	0.03567
TOU-PA-2-E	2018 Energy	Summer	Mid-peak	\$ 0.04879	\$ 0.05024	\$	0.06255	\$	0.06328
TOU-PA-2-E	2018 Energy	Summer	On-Peak	\$ 0.28144	\$ 0.28768	\$	0.34073	\$	0.34385
TOU-PA-2-E	2018 Energy	Winter	Off-Peak	\$ 0.03365	\$ 0.03478	\$	0.04444	\$	0.04501
TOU-PA-2-E	2018 Energy	Winter	Super Off-Peak	\$ 0.02559	\$ 0.02656	\$	0.03481	\$	0.03529
TOU-PA-2-E	2018 Energy	Winter	Mid-peak	\$ 0.04781	\$ 0.04924	\$	0.06138	\$	0.06210
TOU-PA-2-E-5TO8	2018 Energy	Summer	Off-Peak	\$ 0.02617	\$ 0.02715	\$	0.03551	\$	0.03600
TOU-PA-2-E-5TO8	2018 Energy	Summer	Mid-peak	\$ 0.09026	\$ 0.09256	\$	0.11214	\$	0.11329
TOU-PA-2-E-5TO8	2018 Energy	Summer	On-Peak	\$ 0.46662	\$ 0.47668	\$	0.56215	\$	0.56718
TOU-PA-2-E-5TO8	2018 Energy	Winter	Off-Peak	\$ 0.03391	\$ 0.03505	\$	0.04476	\$	0.04533
TOU-PA-2-E-5TO8	2018 Energy	Winter	Super Off-Peak	\$ 0.02581	\$ 0.02679	\$	0.03508	\$	0.03556
TOU-PA-2-E-5TO8	2018 Energy	Winter	Mid-peak	\$ 0.04814	\$ 0.04958	\$	0.06178	\$	0.06249
TOU-PA-2-PRI-A	2018 Energy	Summer	Off-Peak	\$ 0.02901	\$ 0.03005	\$	0.03890	\$	0.03942
TOU-PA-2-PRI-A	2018 Energy	Summer	Mid-peak	\$ 0.05913	\$ 0.06079	\$	0.07492	\$	0.07575
TOU-PA-2-PRI-A	2018 Energy	Summer	On-Peak	\$ 0.17428	\$ 0.17832	\$	0.21260	\$	0.21462

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-PA-2-PRI-A	2018 Energy	Winter	Off-Peak	\$	0.02295	\$	0.02386	\$	0.03211
TOU-PA-2-PRI-A	2018 Energy	Winter	Mid-peak	\$	0.04677	\$	0.04818	\$	0.06084
TOU-PA-2-PRI-B	2018 Energy	Summer	Off-Peak	\$	0.02933	\$	0.03037	\$	0.03980
TOU-PA-2-PRI-B	2018 Energy	Summer	Mid-peak	\$	0.03073	\$	0.03181	\$	0.04150
TOU-PA-2-PRI-B	2018 Energy	Summer	On-Peak	\$	0.03506	\$	0.03623	\$	0.04672
TOU-PA-2-PRI-B	2018 Energy	Winter	Off-Peak	\$	0.02327	\$	0.02419	\$	0.03250
TOU-PA-2-PRI-B	2018 Energy	Winter	Mid-peak	\$	0.04709	\$	0.04851	\$	0.06123
TOU-PA-2-PRI-B	2018 Demand	Summer	Mid-peak	\$	2.44	\$	2.49	\$	2.94
TOU-PA-2-PRI-B	2018 Demand	Summer	On-Peak	\$	8.25	\$	8.42	\$	9.95
TOU-PA-2-PRI-D	2018 Energy	Summer	Off-Peak	\$	0.02501	\$	0.02596	\$	0.03459
TOU-PA-2-PRI-D	2018 Energy	Summer	Mid-peak	\$	0.04790	\$	0.04933	\$	0.06220
TOU-PA-2-PRI-D	2018 Energy	Summer	On-Peak	\$	0.05576	\$	0.05736	\$	0.07169
TOU-PA-2-PRI-D	2018 Energy	Winter	Off-Peak	\$	0.02527	\$	0.02623	\$	0.03491
TOU-PA-2-PRI-D	2018 Energy	Winter	Super Off-Peak	\$	0.01831	\$	0.01913	\$	0.02651
TOU-PA-2-PRI-D	2018 Energy	Winter	Mid-peak	\$	0.03748	\$	0.03870	\$	0.04964
TOU-PA-2-PRI-D	2018 Demand	Summer	On-Peak	\$	10.98	\$	11.21	\$	13.24
TOU-PA-2-PRI-D	2018 Demand	Winter	Mid-peak	\$	1.85	\$	1.89	\$	2.24
TOU-PA-2-PRI-D-5TO8	2018 Energy	Summer	Off-Peak	\$	0.02535	\$	0.02631	\$	0.03500
TOU-PA-2-PRI-D-5TO8	2018 Energy	Summer	Mid-peak	\$	0.08943	\$	0.09172	\$	0.11229
TOU-PA-2-PRI-D-5TO8	2018 Energy	Summer	On-Peak	\$	0.10290	\$	0.10546	\$	0.12853
TOU-PA-2-PRI-D-5TO8	2018 Energy	Winter	Off-Peak	\$	0.02556	\$	0.02653	\$	0.03526
TOU-PA-2-PRI-D-5TO8	2018 Energy	Winter	Super Off-Peak	\$	0.01856	\$	0.01938	\$	0.02682
TOU-PA-2-PRI-D-5TO8	2018 Energy	Winter	Mid-peak	\$	0.03785	\$	0.03907	\$	0.05008
TOU-PA-2-PRI-D-5TO8	2018 Demand	Summer	On-Peak	\$	11.00	\$	11.23	\$	13.27
TOU-PA-2-PRI-D-5TO8	2018 Demand	Winter	Mid-peak	\$	1.91	\$	1.95	\$	2.31
TOU-PA-2-PRI-E	2018 Energy	Summer	Off-Peak	\$	0.02474	\$	0.02570	\$	0.03428
TOU-PA-2-PRI-E	2018 Energy	Summer	Mid-peak	\$	0.04764	\$	0.04906	\$	0.06189
TOU-PA-2-PRI-E	2018 Energy	Summer	On-Peak	\$	0.28029	\$	0.28650	\$	0.34246
TOU-PA-2-PRI-E	2018 Energy	Winter	Off-Peak	\$	0.03249	\$	0.03360	\$	0.04362
TOU-PA-2-PRI-E	2018 Energy	Winter	Super Off-Peak	\$	0.02443	\$	0.02538	\$	0.03390
TOU-PA-2-PRI-E	2018 Energy	Winter	Mid-peak	\$	0.04666	\$	0.04806	\$	0.06070
TOU-PA-2-PRI-E-5TO8	2018 Energy	Summer	Off-Peak	\$	0.02502	\$	0.02597	\$	0.03460
TOU-PA-2-PRI-E-5TO8	2018 Energy	Summer	Mid-peak	\$	0.08910	\$	0.09138	\$	0.11189
TOU-PA-2-PRI-E-5TO8	2018 Energy	Summer	On-Peak	\$	0.46547	\$	0.47550	\$	0.56578
TOU-PA-2-PRI-E-5TO8	2018 Energy	Winter	Off-Peak	\$	0.03275	\$	0.03387	\$	0.04394
TOU-PA-2-PRI-E-5TO8	2018 Energy	Winter	Super Off-Peak	\$	0.02466	\$	0.02561	\$	0.03417
TOU-PA-2-PRI-E-5TO8	2018 Energy	Winter	Mid-peak	\$	0.04699	\$	0.04840	\$	0.06110
TOU-PA-3-A	2018 Energy	Summer	Off-Peak	\$	0.03002	\$	0.03097	\$	0.03960
TOU-PA-3-A	2018 Energy	Summer	Mid-peak	\$	0.05725	\$	0.05877	\$	0.07245
TOU-PA-3-A	2018 Energy	Summer	On-Peak	\$	0.17586	\$	0.17983	\$	0.21549
TOU-PA-3-A	2018 Energy	Winter	Off-Peak	\$	0.02493	\$	0.02578	\$	0.03347

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-PA-3-A	2018 Energy	Winter	Mid-peak	\$ 0.04501	\$ 0.04627	\$	0.05705	\$	0.05768
TOU-PA-3-B	2018 Energy	Summer	Off-Peak	\$ 0.03002	\$ 0.03097	\$	0.03912	\$	0.03960
TOU-PA-3-B	2018 Energy	Summer	Mid-peak	\$ 0.03117	\$ 0.03215	\$	0.04050	\$	0.04099
TOU-PA-3-B	2018 Energy	Summer	On-Peak	\$ 0.03519	\$ 0.03626	\$	0.04531	\$	0.04584
TOU-PA-3-B	2018 Energy	Winter	Off-Peak	\$ 0.02493	\$ 0.02578	\$	0.03304	\$	0.03347
TOU-PA-3-B	2018 Energy	Winter	Mid-peak	\$ 0.04501	\$ 0.04627	\$	0.05705	\$	0.05768
TOU-PA-3-B	2018 Demand	Summer	Mid-peak	\$ 2.55	\$ 2.61	\$	3.05	\$	3.08
TOU-PA-3-B	2018 Demand	Summer	On-Peak	\$ 9.41	\$ 9.60	\$	11.25	\$	11.35
TOU-PA-3-D	2018 Energy	Summer	Off-Peak	\$ 0.02615	\$ 0.02703	\$	0.03450	\$	0.03494
TOU-PA-3-D	2018 Energy	Summer	Mid-peak	\$ 0.04628	\$ 0.04757	\$	0.05857	\$	0.05921
TOU-PA-3-D	2018 Energy	Summer	On-Peak	\$ 0.05331	\$ 0.05475	\$	0.06697	\$	0.06769
TOU-PA-3-D	2018 Energy	Winter	Off-Peak	\$ 0.03052	\$ 0.03149	\$	0.03973	\$	0.04021
TOU-PA-3-D	2018 Energy	Winter	Super Off-Peak	\$ 0.01365	\$ 0.01427	\$	0.01955	\$	0.01986
TOU-PA-3-D	2018 Energy	Winter	Mid-peak	\$ 0.03952	\$ 0.04068	\$	0.05049	\$	0.05106
TOU-PA-3-D	2018 Demand	Summer	On-Peak	\$ 11.38	\$ 11.61	\$	13.61	\$	13.72
TOU-PA-3-D	2018 Demand	Winter	Mid-peak	\$ 2.02	\$ 2.06	\$	2.41	\$	2.44
TOU-PA-3-D-5TO8	2018 Energy	Summer	Off-Peak	\$ 0.02707	\$ 0.02797	\$	0.03560	\$	0.03605
TOU-PA-3-D-5TO8	2018 Energy	Summer	Mid-peak	\$ 0.08275	\$ 0.08479	\$	0.10217	\$	0.10319
TOU-PA-3-D-5TO8	2018 Energy	Summer	On-Peak	\$ 0.09471	\$ 0.09700	\$	0.11647	\$	0.11762
TOU-PA-3-D-5TO8	2018 Energy	Winter	Off-Peak	\$ 0.03176	\$ 0.03276	\$	0.04121	\$	0.04171
TOU-PA-3-D-5TO8	2018 Energy	Winter	Super Off-Peak	\$ 0.01442	\$ 0.01506	\$	0.02048	\$	0.02080
TOU-PA-3-D-5TO8	2018 Energy	Winter	Mid-peak	\$ 0.04101	\$ 0.04219	\$	0.05226	\$	0.05286
TOU-PA-3-D-5TO8	2018 Demand	Summer	On-Peak	\$ 10.86	\$ 11.09	\$	12.99	\$	13.10
TOU-PA-3-D-5TO8	2018 Demand	Winter	Mid-peak	\$ 2.29	\$ 2.34	\$	2.74	\$	2.76
TOU-PA-3-E	2018 Energy	Summer	Off-Peak	\$ 0.02622	\$ 0.02710	\$	0.03458	\$	0.03502
TOU-PA-3-E	2018 Energy	Summer	Mid-peak	\$ 0.04635	\$ 0.04764	\$	0.05865	\$	0.05930
TOU-PA-3-E	2018 Energy	Summer	On-Peak	\$ 0.26152	\$ 0.26725	\$	0.31593	\$	0.31879
TOU-PA-3-E	2018 Energy	Winter	Off-Peak	\$ 0.04227	\$ 0.04348	\$	0.05377	\$	0.05438
TOU-PA-3-E	2018 Energy	Winter	Super Off-Peak	\$ 0.00488	\$ 0.00532	\$	0.00907	\$	0.00929
TOU-PA-3-E	2018 Energy	Winter	Mid-peak	\$ 0.05728	\$ 0.05880	\$	0.07172	\$	0.07248
TOU-PA-3-E-5TO8	2018 Energy	Summer	Off-Peak	\$ 0.02707	\$ 0.02797	\$	0.03560	\$	0.03605
TOU-PA-3-E-5TO8	2018 Energy	Summer	Mid-peak	\$ 0.08275	\$ 0.08479	\$	0.10217	\$	0.10319
TOU-PA-3-E-5TO8	2018 Energy	Summer	On-Peak	\$ 0.40847	\$ 0.41723	\$	0.49164	\$	0.49602
TOU-PA-3-E-5TO8	2018 Energy	Winter	Off-Peak	\$ 0.04595	\$ 0.04723	\$	0.05817	\$	0.05882
TOU-PA-3-E-5TO8	2018 Energy	Winter	Super Off-Peak	\$ 0.00622	\$ 0.00669	\$	0.01067	\$	0.01090
TOU-PA-3-E-5TO8	2018 Energy	Winter	Mid-peak	\$ 0.06190	\$ 0.06352	\$	0.07725	\$	0.07805
TOU-PA-3-PRI-A	2018 Energy	Summer	Off-Peak	\$ 0.02894	\$ 0.02987	\$	0.03783	\$	0.03830
TOU-PA-3-PRI-A	2018 Energy	Summer	Mid-peak	\$ 0.05617	\$ 0.05767	\$	0.07040	\$	0.07115
TOU-PA-3-PRI-A	2018 Energy	Summer	On-Peak	\$ 0.17479	\$ 0.17873	\$	0.21222	\$	0.21420
TOU-PA-3-PRI-A	2018 Energy	Winter	Off-Peak	\$ 0.02385	\$ 0.02468	\$	0.03175	\$	0.03217
TOU-PA-3-PRI-A	2018 Energy	Winter	Mid-peak	\$ 0.04393	\$ 0.04517	\$	0.05576	\$	0.05638

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Non-residential Rate Schedules
Attachment 1 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT CARE 100% GREEN	DEFAULT 100% GREEN
TOU-PA-3-PRI-B	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02920	\$ 0.03014	\$ 0.03815	\$	0.03862
TOU-PA-3-PRI-B	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.03036	\$ 0.03132	\$ 0.03953	\$	0.04001
TOU-PA-3-PRI-B	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.03437	\$ 0.03542	\$ 0.04433	\$	0.04486
TOU-PA-3-PRI-B	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02411	\$ 0.02495	\$ 0.03206	\$	0.03248
TOU-PA-3-PRI-B	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04419	\$ 0.04544	\$ 0.05607	\$	0.05670
TOU-PA-3-PRI-B	2018 Demand	Mid-peak	Summer	Mid-peak	\$ 2.43	\$ 2.48	\$ 2.90	\$	2.93
TOU-PA-3-PRI-B	2018 Demand	On-Peak	Summer	On-Peak	\$ 9.28	\$ 9.47	\$ 11.10	\$	11.19
TOU-PA-3-PRI-D	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02534	\$ 0.02620	\$ 0.03353	\$	0.03396
TOU-PA-3-PRI-D	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.04546	\$ 0.04674	\$ 0.05759	\$	0.05823
TOU-PA-3-PRI-D	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.05249	\$ 0.05391	\$ 0.06600	\$	0.06671
TOU-PA-3-PRI-D	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.02970	\$ 0.03066	\$ 0.03875	\$	0.03923
TOU-PA-3-PRI-D	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.01283	\$ 0.01344	\$ 0.01857	\$	0.01888
TOU-PA-3-PRI-D	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.03871	\$ 0.03984	\$ 0.04951	\$	0.05008
TOU-PA-3-PRI-D	2018 Demand	On-Peak	Summer	On-Peak	\$ 11.28	\$ 11.51	\$ 13.49	\$	13.61
TOU-PA-3-PRI-D	2018 Demand	Mid-peak	Winter	Mid-peak	\$ 1.92	\$ 1.96	\$ 2.30	\$	2.32
TOU-PA-3-PRI-D-5TO8	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02626	\$ 0.02714	\$ 0.03463	\$	0.03507
TOU-PA-3-PRI-D-5TO8	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.08193	\$ 0.08396	\$ 0.10120	\$	0.10221
TOU-PA-3-PRI-D-5TO8	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.09389	\$ 0.09617	\$ 0.11550	\$	0.11664
TOU-PA-3-PRI-D-5TO8	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.03095	\$ 0.03193	\$ 0.04024	\$	0.04073
TOU-PA-3-PRI-D-5TO8	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.01361	\$ 0.01423	\$ 0.01950	\$	0.01981
TOU-PA-3-PRI-D-5TO8	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.04019	\$ 0.04136	\$ 0.05129	\$	0.05187
TOU-PA-3-PRI-D-5TO8	2018 Demand	On-Peak	Summer	On-Peak	\$ 10.77	\$ 10.99	\$ 12.87	\$	12.99
TOU-PA-3-PRI-D-5TO8	2018 Demand	Mid-peak	Winter	Mid-peak	\$ 2.19	\$ 2.24	\$ 2.62	\$	2.65
TOU-PA-3-PRI-E	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02513	\$ 0.02599	\$ 0.03328	\$	0.03371
TOU-PA-3-PRI-E	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.04526	\$ 0.04653	\$ 0.05735	\$	0.05798
TOU-PA-3-PRI-E	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.26043	\$ 0.26614	\$ 0.31463	\$	0.31748
TOU-PA-3-PRI-E	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.04118	\$ 0.04237	\$ 0.05247	\$	0.05307
TOU-PA-3-PRI-E	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.00379	\$ 0.00421	\$ 0.00777	\$	0.00798
TOU-PA-3-PRI-E	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.05619	\$ 0.05769	\$ 0.07042	\$	0.07117
TOU-PA-3-PRI-E-5TO8	2018 Energy	Off-Peak	Summer	Off-Peak	\$ 0.02599	\$ 0.02686	\$ 0.03430	\$	0.03474
TOU-PA-3-PRI-E-5TO8	2018 Energy	Mid-peak	Summer	Mid-peak	\$ 0.08166	\$ 0.08368	\$ 0.10087	\$	0.10188
TOU-PA-3-PRI-E-5TO8	2018 Energy	On-Peak	Summer	On-Peak	\$ 0.40739	\$ 0.41612	\$ 0.49034	\$	0.49471
TOU-PA-3-PRI-E-5TO8	2018 Energy	Off-Peak	Winter	Off-Peak	\$ 0.04486	\$ 0.04613	\$ 0.05687	\$	0.05750
TOU-PA-3-PRI-E-5TO8	2018 Energy	Super Off-Peak	Winter	Super Off-Peak	\$ 0.00513	\$ 0.00558	\$ 0.00937	\$	0.00959
TOU-PA-3-PRI-E-5TO8	2018 Energy	Mid-peak	Winter	Mid-peak	\$ 0.06081	\$ 0.06241	\$ 0.07595	\$	0.07674

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Clean Power Alliance
2019 Phase 4 Wind Machine Demand Credit
Attachment 2 to Resolution 19-04-006

CPA RATE	PCIA VINTAGE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN	DEFAULT 100% GREEN
TOU-PA-2-A	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-B	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-D	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-D-5TO8	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-E	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-E-5TO8	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-A	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-B	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-D	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-D-5TO8	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-E	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33
TOU-PA-2-PRI-E-5TO8	2018 Demand	2018 Demand	Winter	Total	-	-\$6.33	-\$6.33	-\$6.33

Wind Machine Credit: Agricultural customers served under a PA-2 rate schedule who incur energy usage during the Winter Season solely for wind machine operations that have been determined eligible by SCE will receive a monthly Demand credit based on highest recorded monthly kW demand.

Winter season commences at 12:00 a.m. on October 1 of each year and continues until 12:00 a.m. on June 1 of the following year.

Demand credits ~~are~~ shown in \$/kW.