
Quote Summary

Prepared For:

City Of Carson
CA

Prepared By:

Zachary Moore
Stotz Equipment
4811 Brooks Street
Montclair, CA 91763
Phone: 909-626-8586
Mobile: 909-664-3209
zmoore@stotzeq.com

Customer agrees to read Operator's Manual before operation of equipment.

Quote Id: 16313788
Created On: 30 October 2017
Last Modified On: 09 April 2019
Expiration Date: 30 June 2019

Equipment Summary	Selling Price	Qty	Extended
SMITHCO Sweep star 60 ride on sweeper	\$ 38,815.00 X	2 =	\$ 77,630.00
Equipment Total			\$ 77,630.00

Quote Summary

Equipment Total	\$ 77,630.00
SubTotal	\$ 77,630.00
Sales Tax - (9.50%)	\$ 7,374.85
Est. Service Agreement Tax	\$ 0.00
Total	\$ 85,004.85
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 85,004.85



Quote Id: 16313788

SMITHCO Sweep star 60 ride on sweeper

Hours: 0

Stock Number:

Code	Description	Qty
76-000DF	SWEEP STAR 60 Finger Reel (Gasoline)	2

Standard Options - Per Unit

76-271	Dust & Dirt Filtration Package All 3- Wheel Models	2
--------	---	---

Sweep Star 60 Gas



Specifications

Engine	
Type	Vanguard V-twin air cooled
Displacement	54.68 cu.in. (896 cc)
Rated Horsepower	31 hp (23 kw)
Air Cleaner	Double Action air intake filtration Engine mounted cyclonic filtration system
Cooling	Pressurized cooling system
Lubrication	Full Pressurized
Oil Filter	Full Flow, Spin on type
Electrical System	24 amp, with 12V 460 CCA battery, fuse protected
Fuel Capacity	6 gallons (22.7 l)
Traction Drive	
Traction System	Variable displacement hydraulic pump directly mounted to engine, individual hydraulic wheel motors.
Hydraulic System	5 gallons (19 l)
Hydraulic Cooling	Full flow filter with oil
Tires, Brakes and Steering	
Tires	Front: 18 – 9.50 x 8 Multi-rib Rear: 24 – 13 x 12 Soft-trac Castor: 9-3.5 x 4 pneumatic
Service Brakes	Hydrostatic braking
Parking Brake	Hand operated, disc type on rear wheels
Steering	Hydraulic power, front wheel steering
Speed	
Transport	0-10 mph (0-16 kph)
Reverse	0-3 mph (0-5 kph)
Hopper	
Capacity	3 cu. yds (2.2 cu. m)
Construction	14 gauge steel
Dump	Hydraulic raise to 74" (1.8 m) above ground and lower
Sweeper Head	
Construction	60" (1.53m) belt driven rotating reel with adjustable sweeping height
Weights and Dimensions	
Weight	2200 lbs. (998 kg)
Length	127" (3.23 m)
Width	74.5" (1.79 m)
Height	82" (2.08 m)
Wheelbase	68.5" (1.74 m)



Model 76-000

Product Configuration

- ✓ Self-contained 3-Wheel tricycle configuration
- ✓ Rear mounted hydraulic high lift debris hopper.
- ✓ Rear mounted heavy duty/ high efficiency hydraulic drive motors
- ✓ Adjustable High back seat and seat belts.
- ✓ Single traction pedal for both forward/reverse.
- ✓ Smithco Engineered Operator Structure

Options & Accessories

- ☐ 60" (1.53m) Nylon Bristol brush head, 4 rows of 5" bristles
- ☐ 60" (1.53 m) Rubber finger reel, 116 flexible rubber fingers
- ☐ Dust & Dirt filtration kit