



148851-01-01

May 20, 2021

CITY OF CARSON  
ATTN: ACCOUNTS PAYABLE  
701 E CARSON ST  
CARSON, California 90745-2224

Attention: FRED LOZA

Dear Sir,

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 272D3 Skid Steer Loader including standard and optional equipment as listed below.

**SOURCEWELL #032119-CAT**

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 90 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Tony Mykris  
Governmental Sales

One (1) New Caterpillar Inc. Model: 272D3 Skid Steer Loader including standard and optional equipment as listed below.

## Standard Equipment

### POWERTRAIN

Cat C3.8 turbo aftercooled diesel engine  
 -Gross horsepower per SAE J1349  
 98 hp (73 kW) @ 2400 RPM  
 -Electric fuel priming pump  
 -Air inlet heater starting aid  
 -Liquid cooled, direct injection  
 Air cleaner, dual element, radial seal  
 S-O-S sampling valve, hydraulic oil  
 Filter, cartridge type, hydraulic

Filters, canister type, fuel  
 and water separator  
 Radiator / hydraulic oil  
 cooler (side-by-side)  
 Spring applied, hydraulically released,  
 parking brakes  
 Hydrostatic transmission  
 Four wheel chain drive

### HYDRAULICS

CONTROLS:  
 Electro/hydraulic implement control

Electro/hydraulic hydrostatic  
 transmission control

### ELECTRICAL

12 volt electrical system  
 100 ampere alternator  
 Ignition key start / stop / aux switch  
 Lights:  
 -Gauge backlighting

-Two rear tail lights  
 -Dome light  
 Backup alarm  
 Electrical outlet, beacon

### OPERATOR ENVIRONMENT

Operator warning system indicators:  
 -Air filter restriction  
 -Alternator output  
 -Armrest raised / operator out of seat  
 -Engine coolant temperature  
 -Engine oil pressure  
 -Air inlet heater activation  
 -Hydraulic filter restriction  
 -Hydraulic oil temperature  
 -Park brake engages  
 -Engine emission system  
 Gauges: DEF level, fuel level, hour  
 meter and tachometer  
 Storage compartment with netting  
 Adjustable vinyl seat  
 Ergonomic contoured armrest

Adjustable joystick controls  
 Control interlock system, when operator  
 leaves seat or armrest raised :  
 -Hydraulic system disables  
 -Hydrostatic transmission disables  
 -Parking brake engages  
 ROPS Cab, open, tilt up  
 Anti-theft security system with 50 user  
 code capability  
 FOPS, Level I  
 Top and rear windows  
 Floormat  
 Interior rear view mirror  
 12V electric socket  
 Horn  
 Hand (dial) throttle electronic

### FRAMES

Lift linkage, vertical path

Support, lift arm

Chassis, one piece welded  
Machine tie down points (6)  
Belly pan cleanout

Cast rear bumper  
Ventilated rear door with integrated  
sealing

#### **OTHER STANDARD EQUIPMENT**

Engine enclosure - lockable  
Extended life antifreeze (-37C, -34F)  
Coupler, mechanical  
Hydraulic oil level sight gauge  
Radiator coolant level sight gauge  
Radiator expansion bottle  
Cat tough guard hose

Heavy duty flat faced quick disconnects  
with integrated pressure release  
Split d-Ring to route work tool hoses  
along side of left lift arm  
Variable speed hydraulic cooling fan  
Per SAE J818-2007 and EN 474-3:2006 and  
ISO 14397-1:2007

272D3 SKID STEER LOADER	512-4272		1	62,296.80
LANE 2 - AVAILABLE FROM SANFORD FACTORY				
LANE 3 - AVAILABLE FROM SANFORD FACTORY				
Meets U.S. EPA Tier 4 Final emission standards				
Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand				
CAT Components (Attachments)				
LANE 2 ORDER	0P-9002	R	1	NET 00.00
CAB PACKAGE, ULTRA	588-9097	L	1	16,584.20
CONTROL, ISO, PROP, WT	512-4115	L	1	873.65
RIDE CONTROL	512-3491	L	1	1,085.75
BATTERY,HD,DISCONNECT, 850 CCA	568-5614	L	1	130.29
REAR LIGHTS	356-6082	L	1	00.00
DOOR, CAB, POLYCARBONATE	539-8061	P	1	222.20
SEAT BELT, 3"	542-6995	L	1	147.46
PRODUCT LINK, CELLULAR PL243	566-7115	L	1	00.00
TIRES, 12/16.5 CAT 10PR	568-4634	P	380	1 484.80
QUICK COUPLER, MANUAL	345-4910	L	1	00.00
CERTIFICATION ARR, P65	563-1163	L	1	00.00
INSTRUCTIONS, ANSI, USA	512-4282	L	1	00.00
SERIALIZED TECHNICAL MEDIA KIT	421-8926	R	1	NET 00.00
FILM, HIGH FLOW XPS	568-4703	L	1	00.00
FILM, SELF LEVEL, ANSI	435-9238	L	1	00.00
FILM, RIDE CONTROL, ANSI	422-3445	L	1	00.00
COUNTERWEIGHT,MACHINE,EXTERNAL	345-5148	L	1	1,070.60
MOUNTING, FIRE EXTINGUISHER	563-7518	L	1	208.06

**Sub Total****83,103**

Min Member Disc

21.0%

**(17,452)**

Machine / Option Price

**65,651**

HAMMER, B8S	532-9208		1	12,361.00
BRACKET, LINES, SSL, MD-LG	532-9240		1	1,597.00
BUCKET, CONCRETE SLAB, 24"	598-2232		1	2,264.00
BUCKET-MP, 74", BOCE	426-6536		1	4,639.00
COLD PLANER, PC310	529-5820		1	31,389.00
KIT, WATER TANK, 42 US GAL, D	482-5132		1	1,872.00
KIT, WATER SPRAY, PC210/310B	231-2592		1	300.00

**Sub Total****54,422**

Member Disc

21.0%

**(11,429)**

Work Tool / Attachments Price

**42,993****Customer Invoice**

Machine / Option Price

**65,651**

Work Tool / Attachments Price

**42,993**

Pre-Tax Total

**108,645****Nondiscountable Items**

Delivery

will call

Machine Prep

2,200

Manuals

**Total****110,845**

WARRANTY & COVERAGE

Standard Warranty: 24 Months / 2,000 Hours Full Machine

---

SOURCWELL SELL PRICE	\$110,845.00
SALES TAX (9.5%)	\$10,530.28
<b>AFTER TAX BALANCE</b>	<b>\$121,375.28</b>

---

F.O.B/TERMS:  
City of Industry, Will Call

Accepted by \_\_\_\_\_ on \_\_\_\_\_

\_\_\_\_\_  
Signature